Bid Notice Abstract

Invitation to Bid (ITB)

Reference Number 7964022

Procuring Entity DEPARTMENT OF TRADE AND INDUSTRY - REGION IV-A

Title Supply, Delivery, Installation, and Commissioning of Shared Service Facility for Coco Sap

Sweetener Production (1 Lot)

Area of Delivery Quezon

ITB-21-0016	Status	Pending
Implementing Rules and Regulations		
Public Bidding	Associated Components	10
Goods		
Food Processing Equipment	Bid Supplements	0
PHP 2,796,000.00		
90 Day/s	Document Request List	0
	Date Published	01/09/2021
Harvin Bob P. Puno AO III, Supply Officer		
3rd Floor, Marcelita Bldg, Brgy Real, Calamba City Laguna	Last Updated / Time	31/08/2021 22:59 PM
Philippines 4027 63-49-5457571 63-49-5457573 harvinbobpuno@dti.gov.ph	Closing Date / Time	20/09/2021 08:30 AM
	Implementing Rules and Regulations Public Bidding Goods Food Processing Equipment PHP 2,796,000.00 90 Day/s Harvin Bob P. Puno AO III, Supply Officer 3rd Floor, Marcelita Bldg, Brgy Real, Calamba City Laguna Philippines 4027 63-49-5457571 63-49-5457573	Implementing Rules and Regulations Public Bidding Goods Food Processing Equipment PHP 2,796,000.00 90 Day/s Document Request List Date Published Harvin Bob P. Puno AO III, Supply Officer 3rd Floor, Marcelita Bldg, Brgy Real, Calamba City Laguna Philippines 4027 63-49-5457571 63-49-5457573 Associated Components Date Published Last Updated / Time Closing Date / Time

Description

Invitation to Bid for Supply, Delivery, Installation, and Commissioning of Shared Service Facility for Coco Sap Sweetener Production (1 Lot)

- 1. The Department of Trade and Industry Region IV-A, through the General Appropriations Act FY 2021 intends to apply the sum of Two Million Seven Hundred Ninety-Six Thousand Pesos (Php 2,796,000.00) being the ABC to payments under the contract for Supply, Delivery, Installation, and Commissioning of Shared Service Facility for Coco Sap Sweetener Production (1 Lot) (Bidding No.: 7964022). Bids received in excess of the ABC shall be automatically rejected at bid opening.
- 2. The Department of Trade and Industry Region IV-A now invites bids for the above Procurement Project. Delivery of the Goods is required to be completed within ninety (90) calendar days from receipt of Notice to Proceed and Purchase Order. Bidders should have completed, within three (3) years from the date of submission and receipt of bids, a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II (Instructions to Bidders).
- 3. Bidding will be conducted through open competitive bidding procedures using a non- discretionary "pass/fail" criterion as specified in the 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.

Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines, and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA No. 5183.

- 4. Prospective Bidders may obtain further information from Department of Trade and Industry Region IV-A and inspect the Bidding Documents at the address given below during Monday to Friday except holidays, 8:00 AM to 5:00 PM.
- 5. A complete set of Bidding Documents may be acquired by interested Bidders on September 01, 2021 from the given address and website(s) below and upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB, in the amount of Two Thousand Seven Hundred Ninety-Six Pesos (Php 2,796.00). The Procuring Entity shall allow the bidder to present its proof of payment for the fees by presenting the

hard copy or electronic copy of the official receipt.

- 6. The Department of Trade and Industry Region IV-A will hold a Pre-Bid Conference on September 08, 2021, 9:00 AM through video conferencing via Zoom, which shall be open to prospective bidders.
- 7. Bids must be duly received by the BAC Secretariat through manual submission at the office address indicated below, on or before September 20, 2021, 8:30 AM. Late bids shall not be accepted.
- 8. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in ITB Clause 14.
- 9. Bid opening shall be on September 20, 2021, 9:00 AM at the given address below and via Zoom video conferencing. Bids will be opened in the presence of the bidders' authorized representatives who choose to attend the activity.
- 10. The Department of Trade and Industry Region IV-A reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised IRR of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.
- 11. For further information, please refer to:

Josephine G. Lusitro
Head Secretariat
Bids and Awards Committee
Department of Trade and Industry Region IV-A
3/F Marcelita Building, National Highway,
Brgy. Real, Calamba City, Laguna 4027
Contact No.: 0917-503-5349

Email: JosephineLuistro@dti.gov.ph cc: HarvinBobPuno@dti.gov.ph

Website: www.dti.gov.ph

12. You may visit the following websites:

View posting: PhilGEPS website (http://notices.ps-philgeps.gov.ph/main/)

September 01, 2021

MARISSA C. ARGENTE Assistant Regional Director & BAC Chairperson DTI Region IV-A – Bids and Awards Committee

Line Items

Line Items					
Item No.	Product/Service Name	Description	Quantity	UOM	Budget (PHP)
1	Electric Drying Cabinet	• The machine is used for uniformly drying of products (at all points from highest rack to lowest rack) in a controlled temperature cabinet. • Can dry-up to 32 kgs. of coco sugar load for 30 mins. • 220V, 1Ph, 60Hz, Heater: 5kW	2	Unit	915,960.00
2	Vibro Sifter	• Light weight and low profile allow to use on tabletops or benches without the need to be bolted. Ideal for small scale separation on production process. • Can sieve 25 kgs. of coconut sugar for 5-10 mins. at 30 mesh screen size	1	Unit	102,980.00
3	Metal Detector	• Diagnostics on LCD display (English) • Machine construction in stainless steel • Buzzer on detection of metal contamination and overlap rejector • Chute Opening (WxH): 300mm x 100mm	1	Unit	608,608.00
4	Granular Vertical Form Fill Seal Machine	• Microprocessor control with LED display panel (English); Stepping Motor driven bag pull system • Temperature controller • Self- diagnostic capability to identify machine error; rotary vibrating knocker; 2-way PID temperature control Vibrio with	1	Unit	821,912.00
5	Vacuum Packaging Machine	• Stainless steel body • External Dimension (LxWxH): 1110mm x 625mm x 870mm • Chamber Size (LxWxH): 1035mm x 450mm x 170mm • Net Weight: 200kgs	1	Unit	314,560.00
6	Platform Weighing Scale	• Power Source: AC: 220V/60Hz/ 800mA DC: 6 volts (3.2Ah) • Capacity: maximum of 300 kgs. • Graduation: 20gms. • Platform Size: 500mm x 600mm	1	Unit	31,980.00

Pre-bid Conference

Date Time Venue

07/09/2021 9:00:00 AM

The Department of Trade and Industry Region IV-A will hold a Pre-Bid Conference through video conferencing via Zoom, which shall be open to all interested bidders. For invitation, please email our BAC Secretariat: HarvinBobPuno@dti.gov.ph

Created by Harvin Bob P. Puno

Date Created 31/08/2021

The PhilGEPS team is not responsible for any typographical errors or misinformation presented in the system. PhilGEPS only displays information provided for by its clients, and any queries regarding the postings should be directed to the contact person/s of the concerned party.

© 2004-2021 DBM Procurement Service. All rights reserved.

Help | Contact Us | Sitemap

PURCHASE REQUEST

Entity Name: <u>DEPA</u>	RTMENT	OF TRADE AND INDUSTRY REGION IV-A	Fund Cluster:	·	_
Office/Section : BDD)	PR No.: Q-2021-08-380		Date:	27-Aug-21
		Responsibility Center Code :		_	
Stock/ Property No.	Unit	Item Description	Quantity	Unit Cost	Total Cost
	lot	Supply, Delivery, Installation, and Commissioning of	1		
		Shared Service Facility for Coco Sap Sweetener			
		Production (1 Lot)			
	units	Electric Drying Cabinet	2	457,980.00	915,960.00
		• The machine is used for uniformly drying of products (at all			
		points from highest rack to lowest rack) in a controlled		+ +	
		temperature cabinet.		 	
		• Can dry-up to 32 kgs. of coco sugar load for 30 mins.		+	
		• 220V, 1Ph, 60Hz, Heater: 5kW		+	
+		• Tray Dimension (LxWxH): 650mm x 590mm x 50mm,		+ +	
		12 pcs. • Automatic Timing: 10hr + 10hr		+ +	
		Up to 10 hours (max) for drying and up to 10 hours (max)			
		for cooling		+	
		• Inside Chamber (LxWxH): 59cm x 65cm x 137cm		† †	
		Dimension (LxWxH): 92cm x 76cm x 185cm		1	
		Difficultion (EXWAII). 720HA 700HA 1000H		1	
	unit	Vibro Sifter	1	102,980.00	102,980.00
		Light weight and low profile allow to use on tabletops or			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
		benches without the need to be bolted. Ideal for small scale			
		separation on production process.			
		• Can sieve 25 kgs. of coconut sugar for 5-10 mins. at 30			
		mesh screen size			
		• 220V, Single Phase, 1/6 hp			
		Diameter of screen surface 300mm x 125mm H			
		• Dimension (LxWxH): 320mm x 350mm x 520mm			
		Net Weight: 18 kgs.			
	unit	Metal Detector	1	608,608.00	608,608.00
		Diagnostics on LCD display (English)			
		Machine construction in stainless steel			
		Buzzer on detection of metal contamination and overlap			
		rejector			
		• Chute Opening (WxH): 300mm x 100mm		1	
		Sensitivity: 0.8mm diameter of FE and 1.5mm diameter		++	
		of SS		+	
		Electrical Requirements: 220VAC, Single Phase, 60Hz		+	
	unit	Granular Vertical Form Fill Seal Machine for Coco	1	821,912.00	821,912.00
	unt	Sugar	1	021,712.00	021,712.00
		Microprocessor control with LED display panel (English);		1	
		Stepping Motor driven bag pull system			
		Temperature controller			
		Self-diagnostic capability to identify machine error; rotary			
		vibrating knocker; 2-way PID temperature control Vibrio		1	
		with 2-side heat sealing; Touch keypad selection on		<u> </u>	
		Touch keypad selection on individual or continuous graphic			
		of packing material (plastic or foil); touch keypad selection			
		on dark/light color registration mark of packing material			
		(plastic or foil)			
		Specification of packaging material that can be used in the		1	
		machine:		 	
		• Plastic: OPP-CPP, OPP-PE, Nylon-PE, Pet-PE (Most		 	
		commonly used is OPP-CPP)		1	

PURCHASE REQUEST

Office/Section: BDD		PR No.: Q-2021-08-380	Date:	27-Aug-21	
		Responsibility Center Code :			
Stock/ Property No.	Unit	Item Description	Quantity	Unit Cost	Total Cost
		Aluminum Foil: Pet foil-PE, VM-Pet-PE (Most common			
		for powder or grain is VM-Pet-PE, for liquid, it is			
		Pet-foil-PE)			
		 Paper: Paper-PE, an ideal material but only few suppliers 			
		Rotary cutter design can produce "V" of perforation or			
		individual cut;			
		Automatic Machine Stop: When packaging material runs			
		out and when registration mark of packing machine runs out		1	
		• Filling Head: Volumetric cups 1 set		1	
		• Filling volume: 1-50g		1	
		Packing speed: 25-45 packs/min. depending on the		+	
		material or product • Bag Seal: center seal		+	
		Bag Sear: center sear Electrical Requirements: 220V, Single Phase, 60Hz		1	
		With Stainless Steel Body and Ribbon Coder			
		With packaging materials for commissioning (at least 8 kgs.)			
		of plastic roll)			
		of plastic ron)		1	
	unit	Vacuum Packaging Machine	1	314,560.00	314,560.00
		• Stainless steel body			,
		• External Dimension (LxWxH): 1110mm x 625mm x 870mm			
		Chamber Size (LxWxH): 1035mm x 450mm x 170mm			
		Net Weight: 200kgs.			
		• Volume of PUM Rate: 40m3/h			
		• Sealing size (LxW): 900mm/400mm x 10mm			
		• Motor Power: 750W x 2			
		Sealing Power: 1500W			
		Ultimate Vacuum Pressure: 1kPa			
		Electrical Requirements: 220VAC/60Hz, 380VAC/50Hz			
		• With packaging materials for commissioning (at least 85u x			
		4'' x 6'')			
	unit	Platform Weighing Scale	1	31,980.00	31,980.00
	GIII	• Power Source:	-	21,500.00	21,200.00
		AC: 220V/60Hz/ 800mA			
		DC: 6 volts (3.2Ah)			
		Capacity: maximum of 300 kgs.			
		Graduation: 20gms.			
		• Platform Size: 500mm x 600mm			
		• Operating Temperature: 10°C - 40°C			
		• Display: 1/3000 Resolution; Single Side LCD, Height: at			
		least 3 inches			
		• Steel			
		T G ANY 1 1D H		+	
		I. Scope of Work and Deliverables			
		1. Scope of Work The work to be performed shall consist of design		+	
+		The work to be performed shall consist of design, configuration, coordination and supervision of all activities		+ +	
		for the supply and delivery of equipment for the primary		+ +	
		processing Shared Service Facility including but not limited		+ +	
+		to:		+ +	
		Supply, deliver, install, and commission various		† †	
		machineries and equipment for the production of coco		†	
		sap sweetener in the identified sites of end-user within		†	
		ninety (90) calendar days from issuance of Notice to			

PURCHASE REQUEST

fice/Section: BDD		PR No.: Q-2021-08-380		Date:	27-Aug-2
		Responsibility Center Code :			
tock/ Property No.	Unit	Item Description	Quantity	Unit Cost	Total Cos
		Proceed and Purchase Order or signed Contract			
		Agreement.			
		Supervise the testing and commissioning of all machineries			
		and equipment at supplier's cost.			
		Provide at least forty (40) hours of training on machine			
		operation, maintenance and troubleshooting for at least			
		eight (8) participants for the whole lot.		-	
		Provide manuals, hand-outs and other peripherals for			
		each equipment and/or machine.		<u> </u>	
		2. Deliverables		1	
		Complete SSF tools, machines and equipment fully			
		installed in the delivery location.			
		Commissioning and testing of all machineries and		†	
		equipment are conducted.			
		Training of personnel on machine operation, maintenance,			
		and troubleshooting for at least forty (40) hours.			
		(10) 100 100 100 100 100 100 100 100 100			
		II. Other Project Terms and Conditions			
		The supplier is required to provide all of the following			
		services, including additional services, if any, specified in the			
		schedule of requirements:			
		The Approved Budget for the Contract (ABC) is inclusive			
		of all applicable taxes and delivery charges.			
		Furnishing of a detailed operations and maintenance manual			
		for each appropriate unit of the supplied machine and			
		equipment.			
		Provide at least one year warranty for all the supplied			
		machines and equipment, including motors if and when			
		applicable.			
		Provide competent and credible trainer/ resource person for			
		the training services at supplier's cost. Trainer must have			
		used said machine and equipment for at least 5 years.			
		All other expenses incurred for the said training (e.g. food,			
		accommodation and transportation expenses of trainer,		-	
		snacks of participants, etc.) shall be shouldered by the			
		Supplier.		<u> </u>	
		• If and when possible, inter-related machines shall be			
		supplied by a single manufacturer or subsidiary/ partner		+	
		company. • In case of machine/ equipment breakdown, provide		1	
		sufficient supply of appropriate parts and local technician for		1	
		the whole duration of the contract or warranty period.			
		Ensure the availability of after sales services and prompt			
 		response of not more than 5 working days from date of		1	
		notice of need.		†	
		Equipment/ machineries shall bear painted over, and if			
+		possible, riveted engrave metal plate markings with the text		1	
		"PROPERTY OF THE DEPARTMENT OF TRADE		1	
		AND INDUSTRY" in 2 designated areas. Text for painted		1	
		over marking shall measure at least 1" in height. The			
		dimension of the engraved metal plates shall be at least 1"			
		(W) x 3" (L).			
		` / ` /			
		III Terms of Payment		1	——

Appendix 60

		PURCHASE REQUEST			
Entity Name: <u>DEI</u>	PARTMENT	OF TRADE AND INDUSTRY REGION IV-A	Fund Cluster:		
Office/Section : BD	D	PR No.: Q-2021-08-380		Date:	27-Aug-21
		Responsibility Center Code :			
Stock/ Property No.	Unit	Item Description	Quantity	Unit Cost	Total Cost
		Full payment within thirty (30) working days after complete			
		delivery, installation, commissioning, inspection, and			
		acceptance of all equipment and machineries.			
		IV. Tie-Breaking Method			
		Where, after post-qualification, an occurrence of a tie takes			
		place among bidders determined and declared as the Lowest			
		Calculated and Responsive Bidder (LCRB), the measure to	1		
		resolve the case is by "toss coin (best of 7)".			
		Approved Budget for the Contract (ABC)			2,796,000.00
Purpose:	Supply, Deli	ivery, Installation, and Commissioning of Shared Service Facility	for Coco Sap Sv	weetener Production	n (1 Lot)
	Requested b	y:	Approv	ved by:	
Signature : Printed Name : Designation :	ANNA MA CTIDS, BD	RIE V. QUINCINA D DTI Quezon	Muta d Jadiosa DiLIETA L. TADIOSA Provincial Director, DTI Quezon		
				IOU QUINCO-	FOLEDO



TERMS OF REFERENCE

Supply, Delivery, Installation, and Commissioning of Shared Service Facility for Coco Sap Sweetener Production (1 Lot)

I. Delivery Location and Contact Person

Delivery Location:

Brgy. Camagong, Alabat, Quezon

Contact Persons:

Anna Marie V. Quincina
Chief Trade-Industry Development Specialist
DTI Quezon Provincial Office
Tel No.: (042)795-0442

Mobile No.: 0922-861-9426

Email Address: AnnaMarieQuincina@dti.gov.ph

Gloria O. Cadiz Chairperson

Alabat Island Farmers Producers Cooperative (AIFPC)

Mobile No.: 0938-254-7804/0917-520-0332

II. Approved Budget for the Contract (ABC)

The Approved Budget for the Contract (ABC) is Two Million Seven Hundred Ninety-Six Thousand Pesos (Php 2,796,000.00).

III. Scope of Work and Deliverables

1. Scope of Work

The work to be performed shall consist of design, configuration, coordination and supervision of all activities for the supply and delivery of equipment for the primary processing Shared Service Facility including but not limited to:

- Supply, deliver, install, and commission various machineries and equipment for the production of coco sap sweetener in the identified sites of end-user within ninety (90) calendar days from issuance of Notice to Proceed and Purchase Order or signed Contract Agreement.
- Supervise the testing and commissioning of all machineries and equipment at supplier's cost.
- Provide at least forty (40) hours of training on machine operation, maintenance and troubleshooting for at least eight (8) participants for the whole lot.
- Provide manuals, hand-outs and other peripherals for each equipment and/or machine.

2. Deliverables

- Complete SSF tools, machines and equipment fully installed in the delivery location.
- Commissioning and testing of all machineries and equipment are conducted.
- Training of personnel on machine operation, maintenance, and troubleshooting for at least forty (40) hours.



IV. Technical Specifications

Item No.	Qty.	Unit	Item Description	Unit Cost	Amount
1	2	units	 The machine is used for uniformly drying of products (at all points from highest rack to lowest rack) in a controlled temperature cabinet. Can dry-up to 32 kgs. of coco sugar load for 30 mins. 220V, 1Ph, 60Hz, Heater: 5kW Tray Dimension (LxWxH): 650mm x 590mm x 50mm, 12 pcs. Automatic Timing: 10hr + 10hr Up to 10 hours (max) for drying and up to 10 hours (max) for cooling Inside Chamber (LxWxH): 59cm x 65cm x 137cm Dimension (LxWxH): 92cm x 76cm x 185cm 	457,980.00	915,960.00
2	1	unit	 Vibro Sifter Light weight and low profile allow to use on tabletops or benches without the need to be bolted. Ideal for small scale separation on production process. Can sieve 25 kgs. of coconut sugar for 5-10 mins. at 30 mesh screen size 220V, Single Phase, 1/6 hp Diameter of screen surface 300mm x 125mm H Dimension (LxWxH): 320mm x 350mm x 520mm Net Weight: 18 kgs. 	102,980.00	102,980.00
3	1	unit	Metal Detector Diagnostics on LCD display (English) Machine construction in stainless steel	608,608.00	608,608.00



	,		T		
,			 Buzzer on detection of metal contamination and overlap rejector Chute Opening (WxH): 300mm x 100mm Sensitivity: 0.8mm diameter of FE and 1.5mm diameter of SS Electrical Requirements: 220VAC, Single Phase, 60Hz 		
4	1	unit	 Granular Vertical Form Fill Seal Machine for Coco Sugar Microprocessor control with LED display panel (English); Stepping Motor driven bag pull system Temperature controller Self-diagnostic capability to identify machine error; rotary vibrating knocker; 2-way PID temperature control Vibrio with 2-side heat sealing; Touch keypad selection on Touch keypad selection on individual or continuous graphic of packing material (plastic or foil); touch keypad selection on dark/light color registration mark of packing material (plastic or foil) Specification of packaging material that can be used in the machine: Plastic: OPP-CPP, OPP-PE, Nylon-PE, Pet-PE (Most commonly used is OPP-CPP) Aluminum Foil: Pet foil-PE, VM-Pet-PE (Most common for powder or grain is VM-Pet-PE, for liquid, it is Pet-foil-PE) Paper: Paper-PE, an ideal material but only few suppliers Rotary cutter design can produce "V" of perforation or individual cut; Automatic Machine Stop: When packaging material runs out and when registration mark of 	821,912.00	821,912.00
			packing machine runs out		



	1	1					
	 Filling Head: Volumetric cups 1 set Filling volume: 1-50g Packing speed: 25-45 packs/min. depending on the material or product Bag Seal: center seal Electrical Requirements: 220V, Single Phase, 60Hz With Stainless Steel Body and Ribbon Coder With packaging materials for commissioning (at least 8 kgs. of plastic roll) 						
5 1 unit	Vacuum Packaging Machine	314,560.00	314,560.00				
	 Stainless steel body External Dimension (LxWxH): 1110mm x 625mm x 870mm Chamber Size (LxWxH): 1035mm x 450mm x 170mm Net Weight: 200kgs. Volume of PUM Rate: 40m³/h Sealing size (LxW): 900mm/400mm x 10mm Motor Power: 750W x 2 Sealing Power: 1500W Ultimate Vacuum Pressure: 1kPa Electrical Requirements: 220VAC/60Hz, 380VAC/50Hz With packaging materials for commissioning (at least 85u x 4" x 6") 						
6 1 unit	Platform Weighing Scale	31,980.00	31,980.00				
	 Power Source: AC: 220V/60Hz/ 800mA DC: 6 volts (3.2Ah) Capacity: maximum of 300 kgs. Graduation: 20gms. Platform Size: 500mm x 600mm Operating Temperature: 10°C - 40°C Display: 1/3000 Resolution; Single Side LCD, Height: at least 3 inches Steel 						
Approved Budget for the Contract (ABC) Php 2,796,000.00							



V. Other Project Terms and Conditions

The supplier is required to provide all of the following services, including additional services, if any, specified in the schedule of requirements:

- The Approved Budget for the Contract (ABC) is inclusive of all applicable taxes and delivery charges.
- Furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied machine and equipment.
- Provide at least one year warranty for all the supplied machines and equipment, including motors
 if and when applicable.
- Provide competent and credible trainer/ resource person for the training services at supplier's
 cost. Trainer must have used said machine and equipment for at least 5 years. All other expenses
 incurred for the said training (e.g. food, accommodation and transportation expenses of trainer,
 snacks of participants, etc.) shall be shouldered by the Supplier.
- If and when possible, inter-related machines shall be supplied by a single manufacturer or subsidiary/ partner company.
- In case of machine/ equipment breakdown, provide sufficient supply of appropriate parts and local technician for the whole duration of the contract or warranty period.
- Ensure the availability of after sales services and prompt response of not more than 5 working days from date of notice of need.
- Equipment/ machineries shall bear painted over, and if possible, riveted engrave metal plate markings with the text "PROPERTY OF THE DEPARTMENT OF TRADE AND INDUSTRY" in 2 designated areas. Text for painted over marking shall measure at least 1" in height. The dimension of the engraved metal plates shall be at least 1" (W) x 3" (L).

VI. Terms of Payment

Full payment within thirty (30) working days after complete delivery, installation, commissioning, inspection, and acceptance of all equipment and machineries.

VII. Tie-Breaking Method

Where, after post-qualification, an occurrence of a tie takes place among bidders determined and declared as the Lowest Calculated and Responsive Bidder (LCRB), the measure to resolve the case is by "toss coin (best of 7)".



Prepared by:

GLORIA O. CADIZ AIFPC Chairperson MA. GRACIELA C. LEDESMA SSF Provincial Coordinator

Reviewed by:

ANNA MARIE V. QUINCINA
CTIDS, BDD

Approved by:

JULIETA L. TADIOSA

Provincial Director, DTI Quezon

Regional Director



ANNEX A

DOCUMENTARY REQUIREMENTS FOR SUBMISSION OF BID DOCUMENTS

I. TECHNICAL COMPONENT ENVELOPE

A. Legal Documents

- 1. Valid PhilGEPS Registration Certificate (Platinum Membership)
 - Registration certificate from Securities and Exchange Commission (SEC), Department of Trade and Industry (DTI) for sole proprietorship, or Cooperative Development Authority (CDA) for cooperatives or its equivalent document.
 - Mayor's or Business permit issued by the city or municipality where the principal place of business of the prospective bidder is located, or the equivalent document for Exclusive Economic Zones or Areas: and
 - Tax clearance per E.O. No. 398, s. 2005, as finally reviewed and approved by the Bureau of Internal Revenue (BIR).

Clarification:

a. The Class "A" eligibility documents (Registration Certificate, Mayor's/Business Permit or its equivalent document, Tax Clearance, PCAB license and registration, and Audited Financial Statements) covered by PhilGEPS Registration Certificate are not mandatory attachments (GPPB Resolution No. 18-2017). However, if there is expired document listed in the PhilGEPS Registration Certificate, the renewal of such document must be attached. The complete supporting documents will be validated during the postqualification process.

B. Technical Documents

1. Statement of bidder's all on-going government and private contracts covering the period 2018-present using the prescribed template.

Clarification:

- a. The copy of contracts are not mandatory attachments. The said documents will be validated during the post-qualification process.
- 2. Statement of Single Largest Completed Contract with similar contract of at least 50% of the ABC (Php 1,398,000.00) covering the period 2018-present using the prescribed template.

Clarification:

- a. Please list down the top ten (10) completed contracts with contract amount equal to or greater than 50% of the ABC for the period 2018 to present using the prescribed template and highlight the SLCC.
- b. The SLCC must be accompanied by End User's Acceptance or Official Receipt(s) or Sales Invoice issued for the contract (GPPB Resolution No. 16-2020).
- c. The copy of contracts are not mandatory attachments. The said documents will be validated during the post-qualification process.



- 3. Bid security payable to or in favor of "Department of Trade and Industry Region IV-A (DTI IV-A)" in any of the following forms:
 - At least 2% of the ABC (Php 55,920.00) if bid security is in cash, cashier's/manger's check, bank draft/guarantee or irrevocable letter of credit
 - > 5% of the ABC (Php 139,800.00) if bid security is in Surety Bond
 - Bid Securing Declaration (BSD)

Clarification:

- a. If bid security is in the form of Bid Securing Declaration (BSD), please use the prescribed template provided in GPPB Resolution No. 16-2020.
- Conformity with Technical Specifications using the prescribed template as provided in Section VII of the bidding documents. Bidders must state either "Comply" or "Not Comply" in each parameter.
- 5. Omnibus Sworn Statement in accordance with Sec. 25.3 of the IRR of RA 9184 and accompanied by any of the following supporting documents, whichever is applicable:
 - Duly notarized Special Power of Attorney
 - Duly notarized Board/Partnership Resolution
 - Duly notarized Secretary's Certificate

Clarification:

- a. For Sole Proprietorship, Omnibus Sworn Statement is sufficient if the owner will represent the company; supporting documents are not applicable.
- b. Please use the prescribed template for Omnibus Sworn Statement provided in GPPB Resolution No. 16-2020.

C. Financial Documents

1. Audited financial statement, showing, among others, the service provider's total and current assets and liabilities, stamped "received" by the BIR or its duly accredited and authorized institutions, for the preceding calendar year which should not be earlier than two (2) years from the date of bid submission.

Clarification:

- a. Under BIR Revenue Memorandum Circular No. 49-2020 dated May 20, 2020, taxpayers may opt to submit 2019 Income Tax Return and required attachments online through the eAFS system of the BIR. Thus, the bidder may submit the AFS submitted online through the eAFS provided that the bidder also submits the Transaction Reference Number as proof of submission, in lieu of the manual "Received" stamping.
- 2. Computation of Net Financial Contracting Capacity (NFCC) must be
 - At least equal to or greater than the ABC (Php 2,796,000.00) or
 - Credit Line Commitment (CLC) of at least equal to 10% of the ABC (Php 279,600.00) for this project
- 3. Joint Venture Agreement (JVA) or the Duly Notarized Statement in accordance with Sec. 23.1(b) of the IRR, if applicable.



II. FINANCIAL COMPONENT ENVELOPE

1. Original of duly signed and accomplished Financial Bid Form

Clarification:

- a. Please use the prescribed template for Financial Bid Form provided in GPPB Resolution No. 16-2020.
- 2. Original of duly signed and accomplished Price Schedule(s)

Clarification:

a. Please use the prescribed template for Financial Bid Form provided in GPPB Resolution No. 16-2020.



PHILIPPINE BIDDING DOCUMENTS Department of Trade and Industry Region IV-A

Supply, Delivery, Installation, and Commissioning of Shared Service Facility for Coco Sap Sweetener Production (1 Lot)

BIDDING NUMBER: 7964022

September 01, 2021

Table of Contents

Gloss	ary of Acronyms, Terms, and Abbreviations	•••••	1
Sectio	on I. Invitation to Bid	• • • • • • • • • • • • •	4
Sectio	on II. Instructions to Bidders	• • • • • • • • • • •	7
1.	Scope of Bid		
2.	Funding Information		
3.	Bidding Requirements		
4.	Corrupt, Fraudulent, Collusive, and Coercive Practices	08	
5.	Eligible Bidders		
6.	Origin of Goods	09	
7.	Subcontracts	09	
8.	Pre-Bid Conference	10	
9.	Clarification and Amendment of Bidding Documents	10	
10.	Documents comprising the Bid: Eligibility and Technical Components	10	
11.	Documents comprising the Bid: Financial Component	10	
12.	Bid Prices	11	
13.	Bid and Payment Currencies	11	
14.	Bid Security	12	
15.	Sealing and Marking of Bids	12	
16.	Deadline for Submission of Bids	12	
17.	Opening and Preliminary Examination of Bids	12	
18.	Domestic Preference	12	
19.	Detailed Evaluation and Comparison of Bids	13	
20.	Post-Qualification	13	
21.	Signing of the Contract	13	
Section	on III. Bid Data Sheet		4
Sectio	on IV. General Conditions of Contract	2	21
1.	Scope of Contract	22	
2.	Advance Payment and Terms of Payment	22	
3.	Performance Security	22	
4.	Inspection and Tests	22	
5.	Warranty	23	
6.	Liability of the Supplier		
Sectio	on V. Special Conditions of Contract		24
	on VI. Schedule of Requirements		27
	on VII. Technical Specifications		
	on VIII. Checklist of Technical and Financial Documents		, 11

Glossary of Acronyms, Terms, and Abbreviations

ABC – Approved Budget for the Contract.

BAC – Bids and Awards Committee.

Bid – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*. (2016 revised IRR, Section 5[c])

Bidder – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

Bidding Documents – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

BIR – Bureau of Internal Revenue.

BSP – Bangko Sentral ng Pilipinas.

Consulting Services – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

CDA - Cooperative Development Authority.

Contract – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

CIF – Cost Insurance and Freight.

CIP – Carriage and Insurance Paid.

CPI – Consumer Price Index.

DDP – Refers to the quoted price of the Goods, which means "delivered duty paid."

DTI – Department of Trade and Industry.

EXW – Ex works.

FCA – "Free Carrier" shipping point.

FOB – "Free on Board" shipping point.

Foreign-funded Procurement or Foreign-Assisted Project— Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

Framework Agreement – Refers to a written agreement between a procuring entity and a supplier or service provider that identifies the terms and conditions, under which specific purchases, otherwise known as "Call-Offs," are made for the duration of the agreement. It is in the nature of an option contract between the procuring entity and the bidder(s) granting the procuring entity the option to either place an order for any of the goods or services identified in the Framework Agreement List or not buy at all, within a minimum period of one (1) year to a maximum period of three (3) years. (GPPB Resolution No. 27-2019)

GFI – Government Financial Institution.

GOCC – Government-owned and/or –controlled corporation.

Goods – Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term "related" or "analogous services" shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

GOP – Government of the Philippines.

GPPB – Government Procurement Policy Board.

INCOTERMS – International Commercial Terms.

Infrastructure Projects – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national

buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

LGUs – Local Government Units.

NFCC – Net Financial Contracting Capacity.

NGA – National Government Agency.

PhilGEPS - Philippine Government Electronic Procurement System.

Procurement Project – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

PSA – Philippine Statistics Authority.

SEC – Securities and Exchange Commission.

SLCC – Single Largest Completed Contract.

Supplier – refers to a citizen, or any corporate body or commercial company duly organized and registered under the laws where it is established, habitually established in business and engaged in the manufacture or sale of the merchandise or performance of the general services covered by his bid. (Item 3.8 of GPPB Resolution No. 13-2019, dated 23 May 2019). Supplier as used in these Bidding Documents may likewise refer to a distributor, manufacturer, contractor, or consultant.

UN – United Nations.

Section I. Invitation to Bid



INVITATION TO BID FOR Supply, Delivery, Installation, and Commissioning of Shared Service Facility for Coco Sap Sweetener Production (1 Lot)

- 1. The Department of Trade and Industry Region IV-A, through the General Appropriations Act FY 2021 intends to apply the sum of Two Million Seven Hundred Ninety-Six Thousand Pesos (Php 2,796,000.00) being the ABC to payments under the contract for Supply, Delivery, Installation, and Commissioning of Shared Service Facility for Coco Sap Sweetener Production (1 Lot) (Bidding No.: 7964022). Bids received in excess of the ABC shall be automatically rejected at bid opening.
- 2. The *Department of Trade and Industry Region IV-A* now invites bids for the above Procurement Project. Delivery of the Goods is required to be completed within *ninety* (90) calendar days from receipt of Notice to Proceed and Purchase Order. Bidders should have completed, within three (3) years from the date of submission and receipt of bids, a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II (Instructions to Bidders).
- 3. Bidding will be conducted through open competitive bidding procedures using a non-discretionary "pass/fail" criterion as specified in the 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.
 - Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines, and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA No. 5183.
- 4. Prospective Bidders may obtain further information from *Department of Trade and Industry Region IV-A* and inspect the Bidding Documents at the address given below during *Monday to Friday except holidays*, 8:00 AM to 5:00 PM.
- 5. A complete set of Bidding Documents may be acquired by interested Bidders on *September 01*, 2021 from the given address and website(s) below and upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB, in the amount of *Two Thousand Seven Hundred Ninety-Six Pesos (Php 2,796.00)*. The Procuring Entity shall allow the bidder to present its proof of payment for the fees by presenting the hard copy or electronic copy of the official receipt.
- 6. The *Department of Trade and Industry Region IV-A* will hold a Pre-Bid Conference on *September 08, 2021, 9:00 AM* through video conferencing via Zoom, which shall be open to prospective bidders.

- 7. Bids must be duly received by the BAC Secretariat through manual submission at the office address indicated below, on or before *September 20, 2021, 8:30 AM*. Late bids shall not be accepted.
- 8. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in **ITB** Clause 14.
- 9. Bid opening shall be on *September 20, 2021, 9:00 AM* at the given address below and via Zoom video conferencing. Bids will be opened in the presence of the bidders' authorized representatives who choose to attend the activity.
- 10. The *Department of Trade and Industry Region IV-A* reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised IRR of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.
- 11. For further information, please refer to:

Josephine G. Lusitro
Head Secretariat
Bids and Awards Committee
Department of Trade and Industry Region IV-A
3/F Marcelita Building, National Highway,
Brgy. Real, Calamba City, Laguna 4027

Contact No.: 0917-503-5349

Email: JosephineLuistro@dti.gov.ph cc: HarvinBobPuno@dti.gov.ph

Website: www.dti.gov.ph

12. You may visit the following websites:

View posting: PhilGEPS website (http://notices.ps-philgeps.gov.ph/main/)

September 01, 2021

MARISSA C. ARGENTE

Assistant Regional Director & BAC Chairperson DTI Region IV-A – Bids and Awards Committee

Section II. Instructions to Bidders

1. Scope of Bid

The Procuring Entity, Department of Trade and Industry Region IV-A wishes to receive Bids for the Supply, Delivery, Installation, and Commissioning of Shared Service Facility for Coco Sap Sweetener Production (1 Lot), with identification number 2021-08-16.

2. Funding Information

- 2.1. The GOP through the source of funding as indicated below for 2021 in the amount of Two Million Seven Hundred Ninety-Six Thousand Pesos (Php 2,796,000.00).
- 2.2. The source of funding is:

NGA, the General Appropriations Act of 2021.

3. Bidding Requirements

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manuals and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or **IB** by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have verified and accepted the general requirements of this Project, including other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

4. Corrupt, Fraudulent, Collusive, and Coercive Practices

The Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex "I" of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

5. Eligible Bidders

- 5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.
- 5.2. Foreign ownership exceeding those allowed under the rules may participate pursuant to:
 - i. When a Treaty or International or Executive Agreement as provided in Section 4 of the RA No. 9184 and its 2016 revised IRR allow foreign bidders to participate;
 - ii. Citizens, corporations, or associations of a country, included in the list issued by the GPPB, the laws or regulations of which grant reciprocal rights or privileges to citizens, corporations, or associations of the Philippines;
 - iii. When the Goods sought to be procured are not available from local suppliers; or
 - iv. When there is a need to prevent situations that defeat competition or restrain trade.
- 5.3. Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder shall have an SLCC that is at least one (1) contract similar to the Project the value of which, adjusted to current prices using the PSA's CPI, must be at least equivalent to:

The Bidder must have completed a single contract that is similar to this Project, equivalent to at least fifty percent (50%) of the ABC.

5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.1 of the 2016 IRR of RA No. 9184.

6. Origin of Goods

There is no restriction on the origin of goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN, subject to Domestic Preference requirements under **ITB** Clause 18.

7. Subcontracts

7.1. The Bidder may subcontract portions of the Project to the extent allowed by the Procuring Entity as stated herein, but in no case more than twenty percent (20%) of the Project.

The Procuring Entity has prescribed that:

Subcontracting is not allowed.

7.2. Subcontracting of any portion of the Project does not relieve the Supplier of any liability or obligation under the Contract. The Supplier will be responsible for the acts, defaults, and negligence of any subcontractor, its agents, servants, or workmen as fully as if these were the Supplier's own acts, defaults, or negligence, or those of its agents, servants, or workmen.

8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project on the specified date and time and either at its physical address and/or through video conferencing as indicated in paragraph 6 of the **IB**.

9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

10. Documents comprising the Bid: Eligibility and Technical Components

- 10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in **Section VIII** (Checklist of Technical and Financial **Documents**).
- 10.2. The Bidder's SLCC as indicated in **ITB** Clause 5.3 should have been completed within *three* (3) *years* prior to the deadline for the submission and receipt of bids.
- 10.3. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. Similar to the required authentication above, for Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.

11. Documents comprising the Bid: Financial Component

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in **Section VIII** (Checklist of Technical and Financial Documents).
- 11.2. If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a certification issued by DTI shall be provided by the Bidder in accordance with Section 43.1.3 of the 2016 revised IRR of RA No. 9184.
- 11.3. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be

accepted.

11.4. For Foreign-funded Procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.

12. Bid Prices

- 12.1. Prices indicated on the Price Schedule shall be entered separately in the following manner:
 - a. For Goods offered from within the Procuring Entity's country:
 - i. The price of the Goods quoted EXW (ex-works, ex-factory, ex-warehouse, ex-showroom, or off-the-shelf, as applicable);
 - ii. The cost of all customs duties and sales and other taxes already paid or payable;
 - iii. The cost of transportation, insurance, and other costs incidental to delivery of the Goods to their final destination; and
 - iv. The price of other (incidental) services, if any, listed in e.
 - b. For Goods offered from abroad:
 - i. Unless otherwise stated in the **BDS**, the price of the Goods shall be quoted delivered duty paid (DDP) with the place of destination in the Philippines as specified in the **BDS**. In quoting the price, the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.
 - ii. The price of other (incidental) services, if any, as listed in **Section VII (Technical Specifications).**

13. Bid and Payment Currencies

- 13.1. For Goods that the Bidder will supply from outside the Philippines, the bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies, shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.
- 13.2. Payment of the contract price shall be made in:

Philippine Pesos.

14. Bid Security

- 14.1. The Bidder shall submit a Bid Securing Declaration² or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.
- 14.2. The Bid and bid security shall be valid until *January 18, 2022 (120 calendar days upon Opening of Bids)*. Any Bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

15. Sealing and Marking of Bids

Each Bidder shall submit one copy of the first and second components of its Bid.

The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

If the Procuring Entity allows the submission of bids through online submission or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

16. Deadline for Submission of Bids

16.1. The Bidders shall submit on the specified date and time and either at its physical address or through online submission as indicated in paragraph 7 of the **IB**.

17. Opening and Preliminary Examination of Bids

17.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the **IB**. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

17.2. The preliminary examination of bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

18. Domestic Preference

18.1. The Procuring Entity will grant a margin of preference for the purpose of comparison of Bids in accordance with Section 43.1.2 of the 2016 revised IRR of RA No. 9184.

19. Detailed Evaluation and Comparison of Bids

- 19.1. The Procuring BAC shall immediately conduct a detailed evaluation of all Bids rated "passed," using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of the 2016 revised IRR of RA No. 9184.
- 19.2. If the Project allows partial bids, bidders may submit a proposal on any of the lots or items, and evaluation will be undertaken on a per lot or item basis, as the case maybe. In this case, the Bid Security as required by **ITB** Clause 15 shall be submitted for each lot or item separately.
- 19.3. The descriptions of the lots or items shall be indicated in **Section VII** (**Technical Specifications**), although the ABCs of these lots or items are indicated in the **BDS** for purposes of the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184. The NFCC must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder.
- 19.4. The Project shall be awarded as follows:

One Project having several items that shall be awarded as one contract.

19.5. Except for bidders submitting a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation, all Bids must include the NFCC computation pursuant to Section 23.4.1.4 of the 2016 revised IRR of RA No. 9184, which must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder. For bidders submitting the committed Line of Credit, it must be at least equal to ten percent (10%) of the ABCs for all the lots or items participated in by the prospective Bidder.

20. Post-Qualification

Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the **BDS**.

21. Signing of the Contract

21.1. The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

Section III. Bid Data Sheet

Bid Data Sheet

ITB Clause						
5.3	For this purpose, contracts similar to the Project shall be:					
	b. comp	oleted wi	ng equipment. thin three (3) years prior to the	he deadline for	the submission	
7.1		eceipt of				
12		the Good	ds shall be quoted DDP Que rcial Terms (INCOTERMS)			
14.1		rity shall	be in the form of a Bid Sec			
	Peso bank b The	Pesos (Php 55,920.00), if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; or				
				•	•	
19.3	Coco Sap Sv		stallation, and Commissioni Production (1 Lot).	ng of Shared Se	ervice Facility for	
	Ite m Oty No.	Unit	Item Description	Unit Cost	Amount	
	1 2	units	 Electric Drying Cabinet The machine is used for uniformly drying of products (at all points from highest rack to lowest rack) in a controlled temperature cabinet. Can dry-up to 32 kgs. of coco sugar load for 30 mins. 220V, 1Ph, 60Hz, Heater: 5kW Tray Dimension (LxWxH): 650mm x 590mm x 50mm, 12 pcs. 	457,980.00	915,960.00	

Г	1				ı	1
				 Automatic Timing: 10hr + 10hr Up to 10 hours (max) for drying and up to 10 hours (max) for cooling Inside Chamber (LxWxH): 59cm x 65cm x 137cm Dimension (LxWxH): 92cm x 76cm x 185cm 		
	2	1	unit	Vibro Sifter	102,980.00	102,980.00
				 Light weight and low profile allow to use on tabletops or benches without the need to be bolted. Ideal for small scale separation on production process. Can sieve 25 kgs. of coconut sugar for 5-10 mins. at 30 mesh screen size 220V, Single Phase, 1/6 hp Diameter of screen surface 300mm x 125mm H Dimension (LxWxH): 320mm x 350mm x 520mm Net Weight: 18 kgs. 		
	3	1	unit	Metal Detector	608,608.00	608,608.00
				 Diagnostics on LCD display (English) Machine construction in stainless steel Buzzer on detection of metal contamination and overlap rejector Chute Opening (WxH): 300mm x 100mm Sensitivity: 0.8mm diameter of FE and 		

	r	1			1
			1.5mm diameter of		
			SS		
			 Electrical 		
			Requirements:		
			220VAC, Single		
			Phase, 60Hz		
4	1	unit	Granular Vertical	821,912.00	821,912.00
			Form Fill Seal		
			Machine for Coco		
			Sugar		
			 Microprocessor 		
			control with LED		
			display panel		
			(English); Stepping		
			Motor driven bag		
			pull system		
			 Temperature 		
			controller		
			 Self-diagnostic 		
			capability to identify		
			machine error; rotary		
			vibrating knocker; 2-		
			way PID temperature		
			control Vibrio with		
			2-side heat sealing;		
			Touch keypad		
			selection on		
			 Touch keypad 		
			selection on		
			individual or		
			continuous graphic of		
			packing material		
			(plastic or foil); touch		
			keypad selection on		
			dark/light color		
			registration mark of		
			packing material		
			(plastic or foil)		
			 Specification of 		
			packaging material		
			that can be used in		
			the machine:		
			Plastic: OPP-CPP,		
			OPP-PE, Nylon-		
			PE, Pet-PE (Most		
			commonly used is		
			OPP-CPP)		
			Aluminum Foil:		
			Pet foil-PE, VM-		
			Pet-PE (Most		
	ı	<u> </u>	17		

1				Т	1
5	1	unit	common for powder or grain is VM-Pet-PE, for liquid, it is Pet-foil-PE) Paper: Paper-PE, an ideal material but only few suppliers Rotary cutter design can produce "V" of perforation or individual cut; Automatic Machine Stop: When packaging material runs out and when registration mark of packing machine runs out Filling Head: Volumetric cups 1 set Filling volume: 1-50g Packing speed: 25-45 packs/min. depending on the material or product Bag Seal: center seal Electrical Requirements: 220V, Single Phase, 60Hz With Stainless Steel Body and Ribbon Coder With packaging materials for commissioning (at least 8 kgs. of plastic roll) Vacuum Packaging	314,560.00	314,560.00
			 Machine Stainless steel body External Dimension (LxWxH): 1110mm x 		
			625mm x 870mm		

	6 1 unit	 Chamber Size (LxWxH): 1035mm x 450mm x 170mm Net Weight: 200kgs. Volume of PUM Rate: 40m³/h Sealing size (LxW): 900mm/400mm x 10mm Motor Power: 750W x 2 Sealing Power: 1500W Ultimate Vacuum Pressure: 1kPa Electrical Requirements: 220VAC/60Hz, 380VAC/50Hz With packaging materials for commissioning (at least 85u x 4" x 6") Platform Weighing Scale Power Source: AC: 220V/60Hz/ 800mA DC: 6 volts (3.2Ah) Capacity: maximum of 300 kgs. Graduation: 20gms. Platform Size: 500mm x 600mm Operating Temperature: 10°C - 40°C Display: 1/3000 Resolution; Single Side LCD, Height: at least 3 inches Steel 	31,980.00	31,980.00
		least 3 inches • Steel		
	Approved	Budget for the Contract (A	ABC)	Php 2,796,000.00
20.2	Bidder of the notice Bidder must present	lible period of five (5) calend from the BAC that it submitt the original copies of the foll	ed the Lowest lowing:	Calculated Bid, the
		ilGEPS Registration (Platinu	_	(P)
l	2. Certificate of Bu	siness Name or SEC Registra	ation	

	3. Valid Business Permit
	4. Tax Clearance
	5. Latest income and business tax returns stamped and received by the BIR
	6. Original Government-issued ID of Authorized Representative/s and signatories
	7. Other Documentary Requirements as specified in the Terms of Reference
21.2	Not applicable.

Section IV	. General	Conditions	of	Contract
------------	-----------	-------------------	----	----------

1. Scope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

Additional requirements for the completion of this Contract shall be provided in the **Special Conditions of Contract (SCC).**

2. Advance Payment and Terms of Payment

- 2.1. Advance payment of the contract amount is provided under Annex "D" of the revised 2016 IRR of RA No. 9184.
- 2.2. The Procuring Entity is allowed to determine the terms of payment on the partial or staggered delivery of the Goods procured, provided such partial payment shall correspond to the value of the goods delivered and accepted in accordance with prevailing accounting and auditing rules and regulations. The terms of payment are indicated in the **SCC**.

3. Performance Security

Within ten (10) calendar days from receipt of the Notice of Award by the Bidder from the Procuring Entity but in no case later than prior to the signing of the Contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR of RA No. 9184.

4. Inspection and Tests

The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Project specifications at no extra cost to the Procuring Entity in accordance with the Generic Procurement Manual. In addition to tests in the SCC, Section IV (Technical Specifications) shall specify what inspections and/or tests the Procuring Entity requires, and where they are to be conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.

All reasonable facilities and assistance for the inspection and testing of Goods, including access to drawings and production data, shall be provided by the Supplier to the authorized inspectors at no charge to the Procuring Entity.

5. Warranty

- 6.1. In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier as provided under Section 62.1 of the 2016 revised IRR of RA No. 9184.
- 6.2. The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, repair or replace the defective Goods or parts thereof without cost to the Procuring Entity, pursuant to the Generic Procurement Manual.

6. Liability of the Supplier

The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Supplier is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

Section	V.	Special	Conditions	of	Contract
---------	----	----------------	-------------------	----	----------

Special Conditions of Contract

	Special Conditions of Contract
GCC Clause	
1	Delivery and Documents –
	For purposes of the Contract, "EXW," "FOB," "FCA," "CIF," "CIP," "DDP" and other trade terms used to describe the obligations of the parties shall have the meanings assigned to them by the current edition of INCOTERMS published by the International Chamber of Commerce, Paris. The Delivery terms of this Contract shall be as follows:
	Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI (Schedule of Requirements).
	For purposes of this Clause the Procuring Entity's Representatives are the following personnel:
	Anna Marie V. Quincina Chief Trade-Industry Development Specialist DTI Quezon Provincial Office Email: AnnaMarieQuincina@dti.gov.ph
	Gloria O. Cadiz Chairperson Alabat Island Farmers Producers Cooperative (AIFPC)
	Packaging –
	The Supplier shall provide such packaging of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in this Contract. The packaging shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take into consideration, where appropriate, the remoteness of the Goods' final destination and the absence of heavy handling facilities at all points in transit.
	The packaging, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, and in any subsequent instructions ordered by the Procuring Entity.
	A packaging list identifying the contents and quantities of the package is to be placed on an accessible point of the outer packaging if practical. If not practical the packaging list is to be placed inside the outer packaging but outside the secondary packaging.

Transportation -

Where the Supplier is required under Contract to deliver the Goods CIF, CIP, or DDP, transport of the Goods to the port of destination or such other named place of destination in the Philippines, as shall be specified in this Contract, shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price.

Where the Supplier is required under this Contract to transport the Goods to a specified place of destination within the Philippines, defined as the Project Site, transport to such place of destination in the Philippines, including insurance and storage, as shall be specified in this Contract, shall be arranged by the Supplier, and related costs shall be included in the contract price.

Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, Goods are to be transported on carriers of Philippine registry. In the event that no carrier of Philippine registry is available, Goods may be shipped by a carrier which is not of Philippine registry provided that the Supplier obtains and presents to the Procuring Entity certification to this effect from the nearest Philippine consulate to the port of dispatch. In the event that carriers of Philippine registry are available but their schedule delays the Supplier in its performance of this Contract the period from when the Goods were first ready for shipment and the actual date of shipment the period of delay will be considered force majeure.

The Procuring Entity accepts no liability for the damage of Goods during transit other than those prescribed by INCOTERMS for DDP deliveries. In the case of Goods supplied from within the Philippines or supplied by domestic Suppliers risk and title will not be deemed to have passed to the Procuring Entity until their receipt and final acceptance at the final destination.

Intellectual Property Rights –

The Supplier shall indemnify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof.

The terms of payment shall be as follows:

Processing of payment is within thirty (30) working days upon receipt of original copy of following documents:

- 1. Delivery Receipt and/or Sales Invoice
- 2. Inspection and Acceptance Report c/o DTI Quezon Provincial Office and Alabat Island Farmers Producers Cooperative (AIFPC)
- 3. Property Acknowledgement Receipt (PAR) c/o DTI Quezon Provincial Office
- The inspections that will be conducted are:
 - 1. Completeness of items
 - 2. Compliance to required specifications
 - 3. Testing/Commissioning

Section VI. Schedule of Requirements

Schedule of Requirements

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

Item Number	Description	Quantity	Total	Delivered, Weeks/Months
1	Electric Drying Cabinet	2 units	2 units	Ninety (90) calendar days upon receipt of
	 The machine is used for uniformly drying of products (at all points from highest rack to lowest rack) in a controlled temperature cabinet. Can dry-up to 32 kgs. of coco sugar load for 30 mins. 220V, 1Ph, 60Hz, Heater: 5kW Tray Dimension (LxWxH): 650mm x 590mm x 50mm, 12 pcs. Automatic Timing: 10hr + 			Notice to Proceed (NTP) and Purchase Order (PO)
	10hr Up to 10 hours (max) for drying and up to 10 hours (max) for cooling Inside Chamber (LxWxH): 59cm x 65cm x 137cm Dimension (LxWxH): 92cm x 76cm x 185cm			
2	 Vibro Sifter Light weight and low profile allow to use on tabletops or benches without the need to be bolted. Ideal for small scale separation on production process. Can sieve 25 kgs. of coconut sugar for 5-10 mins. at 30 mesh screen size 220V, Single Phase, 1/6 hp Diameter of screen surface 300mm x 125mm H 	1 unit	1 unit	Ninety (90) calendar days upon receipt of Notice to Proceed (NTP) and Purchase Order (PO)

	• Dimension (LxWxH): 320mm x 350mm x 520mm			
3	 Net Weight: 18 kgs. Metal Detector Diagnostics on LCD display (English) Machine construction in stainless steel Buzzer on detection of metal contamination and overlap rejector Chute Opening (WxH): 300mm x 100mm Sensitivity: 0.8mm diameter of FE and 1.5mm diameter of SS Electrical Requirements: 220VAC, Single Phase, 60Hz 	1 unit	1 unit	Ninety (90) calendar days upon receipt of Notice to Proceed (NTP) and Purchase Order (PO)
4	Granular Vertical Form Fill Seal Machine for Coco Sugar • Microprocessor control with LED display panel (English); Stepping Motor driven bag pull system • Temperature controller • Self-diagnostic capability to identify machine error; rotary vibrating knocker; 2- way PID temperature control Vibrio with 2-side heat sealing; Touch keypad selection on • Touch keypad selection on individual or continuous graphic of packing material (plastic or foil); touch keypad selection on dark/light color registration mark of packing material (plastic or foil) • Specification of packaging material that can be used in the machine: • Plastic: OPP-CPP, OPP- PE, Nylon-PE, Pet-PE	1 unit	1 unit	Ninety (90) calendar days upon receipt of Notice to Proceed (NTP) and Purchase Order (PO)

			1	
	(Most commonly used is OPP-CPP)			
	Aluminum Foil: Pet foil-			
	PE, VM-Pet-PE (Most			
	common for powder or			
	grain is VM-Pet-PE, for			
	liquid, it is Pet-foil-PE)			
	Paper: Paper-PE, an ideal			
	material but only few			
	suppliers			
	 Rotary cutter design can 			
	produce "V" of perforation			
	or individual cut;			
	• Automatic Machine Stop:			
	When packaging material			
	runs out and when			
	registration mark of			
	packing machine runs out			
	• Filling Head: Volumetric			
	cups 1 set			
	1			
	• Filling volume: 1-50g			
	• Packing speed: 25-45			
	packs/min. depending on			
	the material or product			
	Bag Seal: center seal			
	• Electrical Requirements:			
	220V, Single Phase, 60Hz			
	With Stainless Steel Body			
	and Ribbon Coder			
	With packaging materials			
	for commissioning (at least			
	8 kgs. of plastic roll)			
5	Vacuum Packaging Machine	1 unit	1 unit	Ninety (90) calendar
				days upon receipt of
	Stainless steel body			Notice to Proceed
	External Dimension			(NTP) and Purchase
	(LxWxH): 1110mm x			Order (PO)
	625mm x 870mm			0.001 (1.0)
	• Chamber Size (LxWxH):			
	1035mm x 450mm x			
	170mm			
	• Net Weight: 200kgs.			
	• Volume of PUM Rate:			
	40m ³ /h			
	• Sealing size (LxW):			
	900mm/400mm x 10mm			
	• Motor Power: 750W x 2			
	• Sealing Power: 1500W			
	• Ultimate Vacuum Pressure:			
	1kPa			
			•	

	 Electrical Requirements: 220VAC/60Hz, 380VAC/50Hz With packaging materials for commissioning (at least 85u x 4" x 6") 			
6	 Platform Weighing Scale Power Source: AC: 220V/60Hz/800mA DC: 6 volts (3.2Ah) Capacity: maximum of 300 kgs. Graduation: 20gms. Platform Size: 500mm x 600mm Operating Temperature: 10°C - 40°C Display: 1/3000 Resolution; Single Side LCD, Height: at least 3 inches Steel 	1 unit	1 unit	Ninety (90) calendar days upon receipt of Notice to Proceed (NTP) and Purchase Order (PO)
	I. Scope of Work and Deliverables			
	1. Scope of Work			
	The work to be performed shall consist of design, configuration, coordination and supervision of all activities for the supply and delivery of equipment for the primary processing Shared Service Facility including but not limited to: • Supply, deliver, install, and commission various machineries and equipment for the production of coco sap sweetener in the identified sites of enduser within ninety (90) calendar days from issuance of Notice to Proceed and Purchase Order or signed Contract Agreement.			

Supervise the testing	
and commissioning of	
all machineries and	
equipment at	
supplier's cost.	
Provide at least forty	
(40) hours of training	
on machine operation,	
maintenance and	
troubleshooting for at	
least eight (8)	
participants for the	
whole lot.	
Provide manuals,	
hand-outs and other	
peripherals for each	
equipment and/or	
machine.	
2. Deliverables	
Z. Denverances	
C 1 + CCT + 1	
• Complete SSF tools,	
machines and	
equipment fully	
installed in the	
delivery location.	
Commissioning and	
testing of all	
machineries and	
equipment are	
conducted.	
Training of personnel	
on machine operation,	
maintenance, and	
troubleshooting for at	
least forty (40) hours.	
II. Other Project Terms and	
Conditions	
The supplier is required to	
provide all of the following	
services, including additional	
services, if any, specified in	
the schedule of requirements:	
The Approved Budget for	
the Contract (ABC) is	
inclusive of all applicable	
taxes and delivery	
charges.	
• Furnishing of a detailed	

	operations and		
	maintenance manual for		
	each appropriate unit of		
	the supplied machine and		
	equipment.		
•	Provide at least one year		
	warranty for all the		
	supplied machines and		
	equipment, including		
	motors if and when		
	applicable.		
•	Provide competent and		
	credible trainer/ resource		
	person for the training		
	services at supplier's		
	cost. Trainer must have		
	used said machine and		
	equipment for at least 5		
	years. All other expenses		
	incurred for the said		
	training (e.g. food,		
	accommodation and		
	transportation expenses		
	of trainer, snacks of		
	participants, etc.) shall be		
	shouldered by the		
	Supplier.		
•	If and when possible,		
	inter-related machines		
	shall be supplied by a		
	single manufacturer or		
	subsidiary/ partner		
	company.		
	In case of machine/		
	equipment breakdown,		
	provide sufficient supply		
	of appropriate parts and		
	local technician for the		
	whole duration of the		
	contract or warranty		
	period.		
	•		
•	Ensure the availability of after sales services and		
	prompt response of not		
	more than 5 working days		
	from date of notice of		
	need.		
•	Equipment/ machineries		
	shall bear painted over,		
	and if possible, riveted		
	engrave metal plate		

markings with the text		
"PROPERTY OF THE		
DEPARTMENT OF		
TRADE AND		
INDUSTRY" in 2		
designated areas. Text for		
painted over marking		
shall measure at least 1"		
in height. The dimension		
of the engraved metal		
plates shall be at least 1"		
(W) x 3" (L).		
III. Terms of Payment		
Full payment within thirty		
(30) working days after		
complete delivery,		
installation, commissioning,		
inspection, and acceptance of		
all equipment and		
machineries.		
IV. Tie-Breaking Method		
Where, after post-		
qualification, an occurrence		
of a tie takes place among		
bidders determined and		
declared as the Lowest		
Calculated and Responsive		
Bidder (LCRB), the measure		
to resolve the case is by "toss		
coin (best of 7)".		

Section VII. Technical Specifications

Technical Specifications

Item	Specification	Statement of Compliance (Bidders must state here either "Comply" or "Not Comply" in each parameter)
1	Electric Drying Cabinet – 2 units	
2	The machine is used for uniformly drying of products (at all points from highest rack to lowest rack) in a controlled temperature cabinet.	
3	• Can dry-up to 32 kgs. of coco sugar load for 30 mins.	
4	• 220V, 1Ph, 60Hz, Heater: 5kW	
5	• Tray Dimension (LxWxH): 650mm x 590mm x 50mm, 12 pcs.	
6	Automatic Timing: 10hr + 10hr Up to 10 hours (max) for drying and up to 10 hours (max) for cooling Let 10 to 10 hours (max) for cooling	
7	Inside Chamber (LxWxH): 59cm x 65cm x 137cm	
8	Dimension (LxWxH): 92cm x 76cm x 185cm	
9	Vibro Sifter – 1 unit	
10	• Light weight and low profile allow to use on tabletops or benches without the need to be bolted. Ideal for small scale separation on production process.	
11	Can sieve 25 kgs. of coconut sugar for 5-10 mins. at 30 mesh screen size	
12	• 220V, Single Phase, 1/6 hp	
13	Diameter of screen surface 300mm x 125mm H	
14	Dimension (LxWxH): 320mm x 350mm x 520mm	
15	Net Weight: 18 kgs.	
16	Metal Detector – 1 unit	
17	Diagnostics on LCD display (English)	
18	Machine construction in stainless steel	
19	Buzzer on detection of metal contamination and overlap rejector	
20	Chute Opening (WxH): 300mm x 100mm	
21	Sensitivity: 0.8mm diameter of FE and 1.5mm diameter of SS	

22	Electrical Requirements: 220VAC, Single Phase, 60Hz
23	Granular Vertical Form Fill Seal Machine for Coco Sugar – 1 unit
24	Microprocessor control with LED display panel (English); Stepping Motor driven bag pull system
25	Temperature controller
26	Self-diagnostic capability to identify machine error; rotary vibrating knocker; 2-way PID temperature control Vibrio with 2-side heat sealing; Touch keypad selection on
27	Touch keypad selection on individual or continuous graphic of packing material (plastic or foil); touch keypad selection on dark/light color registration mark of packing material (plastic or foil)
28	 Specification of packaging material that can be used in the machine: Plastic: OPP-CPP, OPP-PE, Nylon-PE, Pet-PE (Most commonly used is OPP-CPP) Aluminum Foil: Pet foil-PE, VM-Pet-PE (Most common for powder or grain is VM-Pet-PE, for liquid, it is Pet-foil-PE) Paper: Paper-PE, an ideal material but only few suppliers
29	Rotary cutter design can produce "V" of perforation or individual cut;
30	Automatic Machine Stop: When packaging material runs out and when registration mark of packing machine runs out
31	Filling Head: Volumetric cups 1 set
32	• Filling volume: 1-50g
33	Packing speed: 25-45 packs/min. depending on the material or product
34	Bag Seal: center seal
35	Electrical Requirements: 220V, Single Phase, 60Hz
36	With Stainless Steel Body and Ribbon Coder
37	With packaging materials for commissioning (at least 8 kgs. of plastic roll)
38	Vacuum Packaging Machine – 1 unit
39	Stainless steel body
40	• External Dimension (LxWxH): 1110mm x 625mm x 870mm

41	•	Chamber Size (LxWxH): 1035mm x 450mm x 170mm	
42	•	Net Weight: 200kgs.	
43	•	Volume of PUM Rate: 40m ³ /h	
44	•	Sealing size (LxW): 900mm/400mm x 10mm	
45	•	Motor Power: 750W x 2	
46	•	Sealing Power: 1500W	
47	•	Ultimate Vacuum Pressure: 1kPa	
48	•	Electrical Requirements: 220VAC/60Hz, 380VAC/50Hz	
49	•	With packaging materials for commissioning (at least 85u x 4" x 6")	
50	Pla	atform Weighing Scale – 1 unit	
51	•	Power Source: AC: 220V/60Hz/ 800mA DC: 6 volts (3.2Ah)	
52	•	Capacity: maximum of 300 kgs.	
53	•	Graduation: 20gms.	
54	•	Platform Size: 500mm x 600mm	
55	•	Operating Temperature: 10°C - 40°C	
56	•	Display: 1/3000 Resolution; Single Side LCD, Height: at least 3 inches	
57		Steel	
58	I.	Scope of Work and Deliverables	
59	1.	Scope of Work The work to be performed shall consist of design,	
		configuration, coordination and supervision of all	
		activities for the supply and delivery of equipment for the primary processing Shared Service Facility including	
(0		but not limited to:	
60		 Supply, deliver, install, and commission various machineries and equipment for the production of coco sap sweetener in the identified sites of end-user within ninety (90) calendar days from issuance of Notice to Proceed and Purchase Order or signed Contract Agreement. 	
61		• Supervise the testing and commissioning of all machineries and equipment at supplier's cost.	

62	• Provide at least forty (40) hours of training on	
	machine operation, maintenance and troubleshooting	
	for at least eight (8) participants for the whole lot.	
63	• Provide manuals, hand-outs and other peripherals for	
	each equipment and/or machine.	
64	2. Deliverables	
	 Complete SSF tools, machines and equipment fully 	
	installed in the delivery location.	
65	Commissioning and testing of all machineries and	
	equipment are conducted.	
66	Training of personnel on machine operation,	
00		
	maintenance, and troubleshooting for at least forty	
67	(40) hours.	
07	II. Other Project Terms and Conditions	
	The symplicatic acquired to provide all of the following	
	The supplier is required to provide all of the following	
	services, including additional services, if any, specified in	
<i>(</i> 0	the schedule of requirements:	
68	• The Approved Budget for the Contract (ABC) is	
	inclusive of all applicable taxes and delivery charges.	
69	• Furnishing of a detailed operations and maintenance	
	manual for each appropriate unit of the supplied machine	
	and equipment.	
70	• Provide at least one year warranty for all the supplied	
	machines and equipment, including motors if and when	
	applicable.	
71	• Provide competent and credible trainer/ resource person	
	for the training services at supplier's cost. Trainer must	
	have used said machine and equipment for at least 5	
	years. All other expenses incurred for the said training	
	(e.g. food, accommodation and transportation expenses	
	of trainer, snacks of participants, etc.) shall be	
	shouldered by the Supplier.	
72	If and when possible, inter-related machines shall be	
	supplied by a single manufacturer or subsidiary/ partner	
	company.	
73	In case of machine/ equipment breakdown, provide	
	sufficient supply of appropriate parts and local	
	technician for the whole duration of the contract or	
	warranty period.	
74	 Ensure the availability of after sales services and prompt 	
, -1	response of not more than 5 working days from date of	
	notice of need.	
75		
13	• Equipment/ machineries shall bear painted over, and if	
	possible, riveted engrave metal plate markings with the	
	text "PROPERTY OF THE DEPARTMENT OF	
	TRADE AND INDUSTRY" in 2 designated areas. Text	
	for painted over marking shall measure at least 1" in	
	height. The dimension of the engraved metal plates shall	

	be at least 1" (W) x 3" (L).	
76	III. Terms of Payment	
	Full payment within thirty (30) working days after complete delivery, installation, commissioning, inspection, and acceptance of all equipment and machineries.	
77	IV. Tie-Breaking Method	
	Where, after post-qualification, an occurrence of a tie takes place among bidders determined and declared as the Lowest Calculated and Responsive Bidder (LCRB), the measure to resolve the case is by "toss coin (best of 7)".	

I hereby certify that the statement of compliance to the foregoing technical specifications are true and correct, otherwise, if found to be false either during bid evaluation or post-qualification, the same shall result to automatic disqualification of our bid.

Name of Company/Bidder	Signature over printed Name of	Date
1 7	Authorized Representative	

Section VIII. Checklist of Technical and Financial Documents

Checklist of Technical and Financial Documents

I. TECHNICAL COMPONENT ENVELOPE

Class "A" Documents

Legal Do	<u>cuments</u>
(a)	Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages);
	<u>or</u>
(b)	Registration certificate from Securities and Exchange Commission (SEC),
	Department of Trade and Industry (DTI) for sole proprietorship, or
	Cooperative Development Authority (CDA) for cooperatives or its equivalent
	document,
	and
(c)	Mayor's or Business permit issued by the city or municipality where the
	principal place of business of the prospective bidder is located, or the
	equivalent document for Exclusive Economic Zones or Areas;
\Box (4)	Tax alcoronge per E.O. No. 208 at 2005, as finally reviewed and approved
☐ (d)	Tax clearance per E.O. No. 398, s. 2005, as finally reviewed and approved by the Bureau of Internal Revenue (BIR).
	by the Bureau of Internal Revenue (BIR).
Technica	l Documents
	tatement of the prospective bidder of all its ongoing government and private
	contracts, including contracts awarded but not yet started, if any, whether
	similar or not similar in nature and complexity to the contract to be bid; and
\bigcap (g) St	tatement of the bidder's Single Largest Completed Contract (SLCC) similar to
	the contract to be bid, except under conditions provided for in Sections
	23.4.1.3 and 23.4.2.4 of the 2016 revised IRR of RA No. 9184, within the
	relevant period as provided in the Bidding Documents; and
(h) C	Original copy of Bid Security. If in the form of a Surety Bond, submit also a
	certification issued by the Insurance Commission;
	or
	Original copy of Notarized Bid Securing Declaration; and
(i)	Conformity with the Technical Specifications, which may include
	production/delivery schedule, manpower requirements, and/or after-
[] (i) O	sales/parts, if applicable; and riginal duly signed Omnibus Sworn Statement (OSS);
	and if applicable, Original Notarized Secretary's Certificate in case of a
	corporation, partnership, or cooperative; or Original Special Power of
	Attorney of all members of the joint venture giving full power and authority
	to its officer to sign the OSS and do acts to represent the Bidder.
	to its officer to sign the obs and do dets to represent the Bidder.
Financia	l Documents
(k)	The Supplier's audited financial statements, showing, among others, the
	Supplier's total and current assets and liabilities, stamped "received" by the
	BIR or its duly accredited and authorized institutions, for the preceding
	calendar year which should not be earlier than two (2) years from the date of
	bid submission; and
\bigsqcup (1) Th	ne prospective bidder's computation of Net Financial Contracting

	Capacity (NFCC);
	or A committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation.
	Class "B" Documents
(m)	If applicable, a duly signed joint venture agreement (JVA) in case the joint venture is already in existence;
	<u>or</u>
	duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.
Other doc	cumentary requirements under RA No. 9184 (as applicable)
	For foreign bidders claiming by reason of their country's extension of
	reciprocal rights to Filipinos] Certification from the relevant government office of their country stating that Filipinos are allowed to participate in government procurement activities for the same item or product.
(o) C	ertification from the DTI if the Bidder claims preference as a Domestic Bidder or Domestic Entity.
FINANCL	AL COMPONENT ENVELOPE
(a) O	riginal of duly signed and accomplished Financial Bid Form; and
(b) O:	riginal of duly signed and accomplished Price Schedule(s).

