

PHILIPPINE BIDDING DOCUMENTS

Supply, Delivery and Installation of Network Cabling and CCTV System of DTI Offices in UPRC and International Buildings

Government of the Republic of the Philippines

Bidding No. 22-017 22 July 2022

Table of Contents

Gloss	ary of Acronyms, Terms, and Abbreviations	2
	on I. Invitation to Bid	
	on II. Instructions to Bidders	
1.	Scope of Bid	
2.	Funding Information	8
3.	Bidding Requirements	8
4.	Corrupt, Fraudulent, Collusive, and Coercive Practices	8
5.	Eligible Bidders	
6.	Origin of Goods	
7.	Subcontracts	9
8.	Pre-Bid Conference	10
9.	Clarification and Amendment of Bidding Documents	10
10.	Documents comprising the Bid: Eligibility and Technical Components	10
11.	Documents comprising the Bid: Financial Component	10
12.	Bid Prices	11
13.	Bid and Payment Currencies	11
14.	Bid Security	
15.	Sealing and Marking of Bids	12
16.	Deadline for Submission of Bids	12
17.	Opening and Preliminary Examination of Bids	12
18.	Domestic Preference	12
19.	Detailed Evaluation and Comparison of Bids	12
20.	Post-Qualification	13
21.	Signing of the Contract	13
Sectio	on III. Bid Data Sheet	14
Sectio	on IV. General Conditions of Contract	16
1.	Scope of Contract	16
2.	Advance Payment and Terms of Payment	16
3.	Performance Security	16
4.	Inspection and Tests	16
5.	Warranty	17
6.	Liability of the Supplier	17
Sectio	on V. Special Conditions of Contract	18
	on VI. Schedule of Requirements	
	on VII. Technical Specifications	
	on VIII. Checklist of Technical and Financial Documents	

Glossary of Acronyms, Terms, and Abbreviations

ABC – Approved Budget for the Contract.

BAC – Bids and Awards Committee.

Bid – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*. (2016 revised IRR, Section 5[c])

Bidder – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

Bidding Documents – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

BIR – Bureau of Internal Revenue.

BSP – Bangko Sentral ng Pilipinas.

Consulting Services – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

CDA - Cooperative Development Authority.

Contract – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

CIF – Cost Insurance and Freight.

CIP – Carriage and Insurance Paid.

CPI – Consumer Price Index.

DDP – Refers to the quoted price of the Goods, which means "delivered duty paid."

DTI – Department of Trade and Industry.

EXW – Ex works.

FCA – "Free Carrier" shipping point.

FOB – "Free on Board" shipping point.

Foreign-funded Procurement or Foreign-Assisted Project– Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

Framework Agreement – Refers to a written agreement between a procuring entity and a supplier or service provider that identifies the terms and conditions, under which specific purchases, otherwise known as "Call-Offs," are made for the duration of the agreement. It is in the nature of an option contract between the procuring entity and the bidder(s) granting the procuring entity the option to either place an order for any of the goods or services identified in the Framework Agreement List or not buy at all, within a minimum period of one (1) year to a maximum period of three (3) years. (GPPB Resolution No. 27-2019)

GFI – Government Financial Institution.

GOCC – Government-owned and/or –controlled corporation.

Goods – Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term "related" or "analogous services" shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

GOP – Government of the Philippines.

GPPB – Government Procurement Policy Board.

INCOTERMS – International Commercial Terms.

Infrastructure Projects – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national

buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

LGUs – Local Government Units.

NFCC – Net Financial Contracting Capacity.

NGA – National Government Agency.

PhilGEPS - Philippine Government Electronic Procurement System.

Procurement Project – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

PSA – Philippine Statistics Authority.

SEC – Securities and Exchange Commission.

SLCC – Single Largest Completed Contract.

Supplier – refers to a citizen, or any corporate body or commercial company duly organized and registered under the laws where it is established, habitually established in business and engaged in the manufacture or sale of the merchandise or performance of the general services covered by his bid. (Item 3.8 of GPPB Resolution No. 13-2019, dated 23 May 2019). Supplier as used in these Bidding Documents may likewise refer to a distributor, manufacturer, contractor, or consultant.

UN – United Nations.



Section I. Invitation to Bid

Supply, Delivery and Installation of Network Cabling and CCTV System of DTI Offices in UPRC and International Buildings

1. The Department of Trade and Industry, through the General Appropriation Act for CY 2022 and/or continuing appropriations intends to apply the following items below being the ABC to payments under the contract hereunder projects.

Lot No.	Description	Approved Budget of the Contract (ABC)
1	Network Cabling System	PhP5,200,000.00
2	CCTV System	PhP2,000,000.00

- 2. The Department of Trade and Industry now invites bids for the Supply, Delivery and Installation of Network Cabling and CCTV System of DTI Offices in UPRC and International Buildings (Bidding No. 22-017). The Goods and Services must be completed within sixty (60) calendar days. Bidders should have completed, within five (5) years from the date of submission and receipt of bids, a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II (Instructions to Bidders).
- 3. Bidding will be conducted through open competitive bidding procedures using a non- discretionary "*pass/fail*" criterion as specified in the 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.

Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines, and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA No. 5183.

- 4. Prospective Bidders may obtain further information from Department of Trade and Industry and inspect the Bidding Documents at the address given below during office hours from 8 A.M. to 5 P.M., Monday to Friday.
- 5. A complete set of Bidding Documents may be acquired by interested Bidders on **25 July 2022** from the given address and website(s) below and upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB, in the amount of **Five Thousand Pesos** (**PhP5,000.00**) for ABC amounting to more than PhP1,000,000.00 up to PhP5,000,000.00, and **Ten Thousand Pesos** (**PhP10,000.00**) for ABC amounting to more than PhP5,000,000.00 up to PhP10,000,000.00. The Procuring Entity shall allow the bidder to present its proof of payment for the fees in person or via electronic mail.

- 6. The Department of Trade and Industry will hold a Pre-Bid Conference on **01 August 2022, 9:30 A.M.** through video conferencing or webcasting via Zoom, which shall be open to prospective bidders. Zoom Meeting link is contained in Section III (Bid Data Sheet).
- 7. Bids must be duly received by the BAC Secretariat through (i) manual submission at the office address indicated below, (ii) online or electronic submission as indicated below, or (iii) both on or before **9** A.M. of **15** August **2022.** Late bids shall not be accepted.
- 8. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in **ITB** Clause 14.
- 9. Bid opening shall be on **15 August 2022**, **9:30 A.M.** at the Center Conference Room, Trade & Industry Building, 361 Sen. Gil Puyat Avenue, Makati City and/or via Zoom. Zoom Meeting link is contained in Section III (Bid Data Sheet). Bids will be opened in the presence of the bidders' representatives who choose to attend the activity.
- 10. The bidders may submit their bids in any of the following form:
 - 10.1. Physical submission of the documents on the address stated below; or
 - 10.2. Electronic submission of bids with the following guidelines:
 - 10.2.1. The Bidder shall submit three (3) set of files of the same documents in PDF format, NOT EDITABLE, with different individual password before the set deadline. The Encryption Key and Password shall be submitted during the opening of the bids of the concerned bidder.
 - 10.2.2. The Bidder shall have the full responsibility on securing the files submitted are not corrupted. The DTI-BAC shall have three (3) attempts to open the submitted files.
 - If the first file was successfully opened, the two (2) remaining files shall be disregarded.
 - If the first file was corrupted, the DTI-BAC shall open the second file. If the second file was successfully opened, the first and third file shall be disregarded.
 - If the first and second file were corrupted, the third file shall be opened.
 - If the third file was corrupted, the bidder shall be automatically disqualified.
- 11. The Department of Trade and Industry reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised IRR of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.
- 12. For further information, please refer to:

Mary Ann D. Yulas

Assistant Chief, Procurement Management Division Human Resource and Administrative Service Department of Trade and Industry G/F, Trade and Industry Building 361 Sen. Gil Puyat Avenue, Makati City Tel. No: +63 (2) 7791-3363/3367, Fax No: +63 (2) 895-3515 Email: <u>MaryAnnYulas@dti.gov.ph</u> Website: <u>www.dti.gov.ph</u>

13. You may visit the following websites:

For downloading of Bidding Documents: https://notices.philgeps.gov.ph/ https://www.dti.gov.ph/good-governance-program/transparencyseal/bac-resources/

For online bid submission:

BACSecretariat@dti.gov.ph

22 July 2022

SGD.

MARY JEAN T. PACHECO Assistant Secretary Chairperson DTI-Bids and Awards Committee

Section II. Instructions to Bidders

1. Scope of Bid

The Procuring Entity, Department of Trade and Industry, wishes to receive Bids for the **Supply, Delivery and Installation of Network Cabling and CCTV System of DTI Offices in UPRC and International Buildings** with identification number 22-017.

The Procurement Project (referred to herein as "Project") is composed of two (2) lots, the details of which are described in Section VII (Technical Specifications).

2. Funding Information

a. The GOP through the source of funding as indicated below for 2022 in the amount of:

Lot No.	Description	Approved Budget of the Contract (ABC)
1	Network Cabling System	PhP5,200,000.00
2	CCTV System	PhP2,000,000.00

b. The source of funding is NGA, the General Appropriations Act or Special Appropriations.

3. Bidding Requirements

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manuals and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or **IB** by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have verified and accepted the general requirements of this Project, including other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

4. Corrupt, Fraudulent, Collusive, and Coercive Practices

The Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex "I" of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

5. Eligible Bidders

- 5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.
- 5.2. Foreign ownership exceeding those allowed under the rules may participate pursuant to:
 - i. When a Treaty or International or Executive Agreement as provided in Section 4 of the RA No. 9184 and its 2016 revised IRR allow foreign bidders to participate;
 - ii. Citizens, corporations, or associations of a country, included in the list issued by the GPPB, the laws or regulations of which grant reciprocal rights or privileges to citizens, corporations, or associations of the Philippines;
 - iii. When the Goods sought to be procured are not available from local suppliers; or
 - iv. When there is a need to prevent situations that defeat competition or restrain trade.
- 5.3. Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder shall have an SLCC that is at least one (1) contract similar to the Project the value of which, adjusted to current prices using the PSA's CPI, must be at least equivalent to:
 - i. For the procurement of Non-expendable Supplies and Services: The Bidder must have completed a single contract that is similar to this Project, equivalent to at least fifty percent (50%) of the ABC.
- 5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.1 of the 2016 IRR of RA No. 9184.

6. Origin of Goods

There is no restriction on the origin of goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN, subject to Domestic Preference requirements under **ITB** Clause 18.

7. Subcontracts

7.1. The Bidder may subcontract portions of the Project to the extent allowed by the Procuring Entity as stated herein, but in no case more than twenty percent (20%) of the Project.

The Procuring Entity has prescribed that Subcontracting is not allowed.

8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project on the specified date and time and either at its physical address and/or through videoconferencing/webcasting as indicated in paragraph 6 of the **IB**.

9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

10. Documents comprising the Bid: Eligibility and Technical Components

- 10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in **Section VIII** (Checklist of Technical and Financial **Documents**).
- 10.2. The Bidder's SLCC as indicated in **ITB** Clause 5.3 should have been completed within **five (5) years** prior to the deadline for the submission and receipt of bids.
- 10.3. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. Similar to the required authentication above, for Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.

11. Documents comprising the Bid: Financial Component

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in Section VIII (Checklist of Technical and Financial Documents).
- 11.2. If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a certification issued by DTI shall be provided by the Bidder in accordance with Section 43.1.3 of the 2016 revised IRR of RA No. 9184.
- 11.3. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.
- 11.4. For Foreign-funded Procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR

of RA No. 9184.

12. Bid Prices

- 12.1. Prices indicated on the Price Schedule shall be entered separately in the following manner:
 - b. For Goods offered from within the Procuring Entity's country:
 - i. The price of the Goods quoted EXW (ex-works, ex-factory, exwarehouse, ex-showroom, or off-the-shelf, as applicable);
 - ii. The cost of all customs duties and sales and other taxes already paid or payable;
 - iii. The cost of transportation, insurance, and other costs incidental to delivery of the Goods to their final destination; and
 - iv. The price of other (incidental) services, if any, listed in e.
 - b. For Goods offered from abroad:
 - i. Unless otherwise stated in the **BDS**, the price of the Goods shall be quoted delivered duty paid (DDP) with the place of destination in the Philippines as specified in the **BDS**. In quoting the price, the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.
 - ii. The price of other (incidental) services, if any, as listed in Section VII (Technical Specifications).

13. Bid and Payment Currencies

- 13.1. For Goods that the Bidder will supply from outside the Philippines, the bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies, shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.
- 13.2. Payment of the contract price shall be made in Philippine Pesos.

14. Bid Security

- 14.1. The Bidder shall submit a Bid Securing Declaration or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.
- 14.2. The Bid and bid security shall be valid for one hundred twenty (120) calendar

days. Any Bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

15. Sealing and Marking of Bids

Each Bidder shall submit one copy of the first and second components of its Bid.

The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

If the Procuring Entity allows the submission of bids through online submission or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

16. Deadline for Submission of Bids

16.1. The Bidders shall submit on the specified date and time and either at its physical address or through online submission as indicated in paragraph 7 of the **IB**.

17. Opening and Preliminary Examination of Bids

17.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the **IB**. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

17.2. The preliminary examination of bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

18. Domestic Preference

18.1. The Procuring Entity will grant a margin of preference for the purpose of comparison of Bids in accordance with Section 43.1.2 of the 2016 revised IRR of RA No. 9184.

19. Detailed Evaluation and Comparison of Bids

19.1. The Procuring BAC shall immediately conduct a detailed evaluation of all Bids rated "*passed*," using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of the 2016 revised IRR of RA No. 9184.

- 19.2. If the Project allows partial bids, bidders may submit a proposal on any of the lots or items, and evaluation will be undertaken on a per lot or item basis, as the case maybe. In this case, the Bid Security as required by **ITB** Clause 15 shall be submitted for each lot or item separately.
- 19.3. The descriptions of the lots or items shall be indicated in **Section VII** (**Technical Specifications**), although the ABCs of these lots or items are indicated in the **BDS** for purposes of the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184. The NFCC must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder.
- 19.4. The Project shall be awarded as follows:

One Project having several items that shall be awarded as one contract.

19.5. Except for bidders submitting a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation, all Bids must include the NFCC computation pursuant to Section 23.4.1.4 of the 2016 revised IRR of RA No. 9184, which must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder. For bidders submitting the committed Line of Credit, it must be at least equal to ten percent (10%) of the ABCs for all the lots or items participated.

20. Post-Qualification

Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the **BDS**.

21. Signing of the Contract

21.1. The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

Section III. Bid Data Sheet

Bid Data Sheet

ITB	
Clause 5.3	For this purpose, contracts similar to the Project shall be:
	 a. Supply, Delivery, and Installation of Network Cabling System (Lot No. 1 – Network Cabling System); and
	 b. Supply, Delivery, and Installation of CCTV System (Lot No. 2 – CCTV System);
	c. completed within five (5) years prior to the deadline for the submission and receipt of bids.
	The Bidder must have completed a single contract that is similar to the Project, equivalent to at least fifty percent (50%) of the ABC.
7.1	Subcontracting is not allowed.
8	The Department of Trade and Industry will hold a Pre-Bid Conference on 01 August 2022, 9:30 A.M. through video conferencing or webcasting via Zoom, which shall be open to prospective bidders. Join Zoom Meeting: https://zoom.us/j/92135710371?pwd=V0dWbHZNKy9aSXhWaSthclFwVWRjdz
	09 Meeting ID: 921 3571 0371 Passcode: BAC2022
10.1	Submission of updated PhilGEPS Certificate (Platinum Membership) with updated/valid "Annex A" (Eligibility Documents) is required pursuant to GPPB Resolution No. 15-2021, dated 14 October 2021: <u>https://www.gppb.gov.ph/issuances/Resolutions/GPPB%20Resolution%20No.%2</u> <u>015.%202021.pdf</u>
	<i>PhilGEPS Certificate (Platinum Membership)</i> x x x For the purpose of updating the Certificate of Registration and Membership, all Class "A" eligibility documents mentioned in this section supporting the veracity, authenticity and validity of the Certificate shall remain current and updated. The failure by the prospective bidder to update its Certificate with the current and updated Class "A" eligibility documents shall result in the automatic suspension of the validity of its Certificate until such time that all of the expired Class "A" eligibility documents has been updated.

14.1		rity shall be in the form of a Bid S rms and amounts:	Securing Declaration, or any of the
		mount of (based on total ABC of ess than 2%, if bid security is in ca	f the lots which a bidder opts to bid) ash; or
		mount of (based on total ABC of ess than 5% if the bid security is in	f the lots which a bidder opts to bid) n Surety Bond.
15	copies of	the first and second components	bmit one (1) original and three (3) of its bid. tion I (Invitation to Bid Clause 10).
17	Bid opening Room, Trade via Zoom. Bi	shall be on 15 August 2022, 9 & Industry Building, 361 Sen. G	:30 A.M. at the Center Conference il Puyat Avenue, Makati City and/or of the bidders' representatives who
	Join Zoom M https://zoom. 9	-	YYkpzRVBRbzA0K3daUnNYdz0
	Meeting ID: Passcode: BA	955 8016 4358 AC2022	
19.3	The $lot(s)$ and	d reference is/are:	
	Lot No.	Project Title	Approved Budget of the Contract
	1	Network Cabling System	PhP5,200,000.00
	2	CCTV System	PhP2,000,000.00
			· · · · · · · · · · · · · · · · · · ·

Section IV. General Conditions of Contract

1. Scope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

Additional requirements for the completion of this Contract shall be provided in the **Special Conditions of Contract (SCC)**.

2. Advance Payment and Terms of Payment

- 2.1. Advance payment of the contract amount is provided under Annex "D" of the revised 2016 IRR of RA No. 9184.
- 2.2. The Procuring Entity is allowed to determine the terms of payment on the partial or staggered delivery of the Goods procured, provided such partial payment shall correspond to the value of the goods delivered and accepted in accordance with prevailing accounting and auditing rules and regulations. The terms of payment are indicated in the **SCC**.

3. Performance Security

Within ten (10) calendar days from receipt of the Notice of Award by the Bidder from the Procuring Entity but in no case later than prior to the signing of the Contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR of RA No. 9184.

4. Inspection and Tests

The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Project specifications at no extra cost to the Procuring Entity in accordance with the Generic Procurement Manual. In addition to tests in the **SCC**, **Section IV** (**Technical Specifications**) shall specify what inspections and/or tests the Procuring Entity requires, and where they are to be conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for

these purposes.

All reasonable facilities and assistance for the inspection and testing of Goods, including access to drawings and production data, shall be provided by the Supplier to the authorized inspectors at no charge to the Procuring Entity.

5. Warranty

- 5.1. In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier as provided under Section 62.1 of the 2016 revised IRR of RA No. 9184.
- 5.2. The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, repair or replace the defective Goods or parts thereof without cost to the Procuring Entity, pursuant to the Generic Procurement Manual.

6. Liability of the Supplier

The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Supplier is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

Section V. Special Conditions of Contract

GCC Clause 1 **Delivery and Documents –** For purposes of the Contract, "EXW," "FOB," "FCA," "CIF," "CIP," "DDP" and other trade terms used to describe the obligations of the parties shall have the meanings assigned to them by the current edition of INCOTERMS published by the International Chamber of Commerce, Paris. The Delivery terms of this Contract shall be as follows: [For Goods supplied from abroad, state:] "The delivery terms applicable to the Contract are DDP delivered [*indicate place of destination*]. In accordance with **INCOTERMS.**" [For Goods supplied from within the Philippines, state:] "The delivery terms applicable to this Contract are delivered [indicate place of destination]. Risk and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination." Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI (Schedule of Requirements). For purposes of this Clause the Procuring Entity's Representative at the Project Site is: **ROLANDO T. MEDRANO, JR.** Director **Information Systems Management Service** Trade and Industry Bldg., 5/F 361 Sen. Gil J. Puyat Ave., Makati City **Incidental Services** – The Supplier is required to provide all of the following services, including additional services, if any, specified in Section VI. Schedule of Requirements: performance or supervision of on-site assembly and/or start-up of a. the supplied Goods; furnishing of tools required for assembly and/or maintenance of the b. supplied Goods: furnishing of a detailed operations and maintenance manual for each c. appropriate unit of the supplied Goods;

Special Conditions of Contract

ZZ July Z	2022
	d. performance or supervision or maintenance and/or repair of the supplied Goods, for a period of time agreed by the parties, provided that this service shall not relieve the Supplier of any warranty obligations under this Contract; and
	e. training of the Procuring Entity's personnel, at the Supplier's plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied Goods.
	The Contract price for the Goods shall include the prices charged by the Supplier for incidental services and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services.
	Spare Parts –
	The Supplier is required to provide all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the Supplier:
	Select appropriate requirements and delete the rest.
	a. such spare parts as the Procuring Entity may elect to purchase from the Supplier, provided that this election shall not relieve the Supplier of any warranty obligations under this Contract; and
	b. in the event of termination of production of the spare parts:
	i. advance notification to the Procuring Entity of the pending termination, in sufficient time to permit the Procuring Entity to procure needed requirements; and
	ii. following such termination, furnishing at no cost to the Procuring Entity, the blueprints, drawings, and specifications of the spare parts, if requested.
	The spare parts and other components required are listed in Section VI (Schedule of Requirements) and the cost thereof are included in the contract price.
	The Supplier shall carry sufficient inventories to assure ex-stock supply of consumable spare parts or components for the Goods for a period of [<i>indicate here the time period specified. If not used indicate a time period of three times the warranty period</i>].
	Spare parts or components shall be supplied as promptly as possible, but in any case, within [<i>insert appropriate time period</i>] months of placing the order.
1	

Packaging –
The Supplier shall provide such packaging of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in this Contract. The packaging shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take into consideration, where appropriate, the remoteness of the Goods' final destination and the absence of heavy handling facilities at all points in transit.
The packaging, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified below, and in any subsequent instructions ordered by the Procuring Entity.
The outer packaging must be clearly marked on at least four (4) sides as follows:
Name of the Procuring Entity Name of the Supplier Contract Description Final Destination Gross weight Any special lifting instructions Any special handling instructions Any relevant HAZCHEM classifications
A packaging list identifying the contents and quantities of the package is to be placed on an accessible point of the outer packaging if practical. If not practical the packaging list is to be placed inside the outer packaging but outside the secondary packaging.
Transportation –
Where the Supplier is required under Contract to deliver the Goods CIF, CIP, or DDP, transport of the Goods to the port of destination or such other named place of destination in the Philippines, as shall be specified in this Contract, shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price.
Where the Supplier is required under this Contract to transport the Goods to a specified place of destination within the Philippines, defined as the Project Site, transport to such place of destination in the Philippines, including insurance and storage, as shall be specified in this Contract, shall be arranged by the Supplier, and related costs shall be included in the contract price.

	Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, Goods are to be transported on carriers of Philippine registry. In the event that no carrier of Philippine registry is available, Goods may be shipped by a carrier which is not of Philippine registry provided that the Supplier obtains and presents to the Procuring Entity certification to this effect from the nearest Philippine registry are available but their schedule delays the Supplier in its performance of this Contract the period from when the Goods were first ready for shipment and the actual date of shipment the period of delay will be considered force majeure.
	The Procuring Entity accepts no liability for the damage of Goods during transit other than those prescribed by INCOTERMS for DDP deliveries. In the case of Goods supplied from within the Philippines or supplied by domestic Suppliers risk and title will not be deemed to have passed to the Procuring Entity until their receipt and final acceptance at the final destination.
	Intellectual Property Rights –
	The Supplier shall indemnify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof.
2.2	Payments shall be made promptly by the Procuring Entity, but in no case later than sixty (60) days after submission of an invoice or claim by the Supplier.

Section VI. Schedule of Requirements

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

Item Number	Description	Quantity	Delivered, Weeks/Months	Statement of Compliance
	Supply, Delivery, and Installation of Network Cabling System			
1	 Areas: DTI UPRC Building, 315 Sen. Gil Puyat Ave., Makati City DTI International Building, 375 Sen. Gil Puyat Ave., Makati City 	1 lot	60 calendar days	
2	 Supply, Delivery, Installation, and Configuration of CCTV System Areas: 1. DTI UPRC Building, 315 Sen. Gil Puyat Ave., Makati City 2. DTI International Building, 375 Sen. Gil Puyat Ave., Makati City 	1 lot	60 calendar days	

Conforme:

Name & Signature of the Authorized Representative

Name of Company

Date

Section VII. Technical Specifications

Technical Specifications

Item		Specification	Statement of Compliance
1		LOT NO. 1	
	1	PROJECT DESCRIPTION/RATIONALE:	[Bidders must
		The Department of Trade and Industry (DTI) network architecture and IT infrastructure is designed to optimize resources, streamline operations, improve office productivity and support continued personnel professional career growth.	state here either "Comply" or "Not Comply" against each of
		The Fair Trade Enforcement and Export Marketing Bureaus are undergoing office renovation; thus, a reliable structured cabling system for voice and data is needed to link all computers and network related equipment in one physical network.	the individual parameters of each Specification stating the corresponding
	2	OBJECTIVE:	performance parameter of the equipment
		The project aims to provide structured cabling system (voice and data) in the following DTI offices:	offered. Statements of "Comply" or
		Fair Trade Enforcement Bureau	"Not Comply"
		Export Marketing Bureau	must be supported by evidence in a Bidders Bid
	3	SCOPE OF WORK AND DELIVERABLES	and cross- referenced to
		Network cable installation will involve the following activities:	that evidence. Evidence shall
		3.1. Installation of pipes and fittings (PVC Pipe) with proper hanger and support.	be in the form of
		 3.2. Cable pulling using UTP Cable Cat6 4pairs for 550 nodes. 3.3. Cable pulling 1run Fiber optic cable 6core MM OM4 for data backbone from MDF(2F) to IDF(G/F). 	manufacturer' s un-amended sales
		3.4. Cable pulling 5runs UTP Cable Cat6 for switches backbone.	literature, unconditional
		3.5. Installation using Patch panel, Cable manager, Information Outlet and Faceplate.	statements of specification
		3.6. End to end termination of UTP Cable Cat6 and Fiber optic cable.	and compliance
		3.7. Retouching and rectification of all affected areas during project implementation.	issued by the manufacturer, samples,

3.8.	Supply and Installation of UTP Cat 6 Cable UTP, Cat 6	independent
	Information Outlet, Cat 6 24 Port Patch panel, Cat 6 UTP	test data etc.,
	Patch cord Face Plate, and Wire Manager.	as
3.9.	Supply and Installation of Roughing-ins Wire Gutter Plastic	appropriate. A
	Molding PVC Pipe Square Box, Pull Box and Fittings.	statement that
3.10.	Supply and Installation of Hanger and Support Pull	is not
	Threaded Rod Heck nut w/ Washer, Pipe Clamp.	supported by
3.11.	Uni s-trat Channel and Uni S-trat Clamp.	evidence or is
3.12.	Supply and Installation of Eight (08) Pop up Outlet for Asec	subsequently
0.40	and Director Room Offices at EMB and FTEB.	found to be
3.13.	Cable Pulling and Termination End to End of Two Hundred	contradicted
	Eighty-Four (284) Voice Data at 2nd / Floor and 3rd Floor at FTEB Bldg.	by the evidence
3.14.	Cable Pulling and Termination of Voice Data Ground Floor	presented will
5.14.	and 2nd Floor at EMB Bldg.	render the Bid
3.15.	Dismantling Hauling Existing Pipe and Wire.	under
3.16.	Chipping Work and Restoration.	evaluation
3.17.	Paint Restoration.	liable for
3.18.	Documentation and Project hand over.	rejection. A
3.19.	Cable Tagging and Harnessing.	statement
3.20.	Provision of As-built Plan/Design w/ PECE Sign and Seal.	either in the
0.201		Bidder's
Back	bone fiber and copper (Cat 6)	statement of
		compliance or
3.21.	Supply and Installation of UTP Cat 6 Cable, 4 Core Fiber	the supporting
	Optic Cable MM Om4, Fiber SC-Connector MM Om4,	evidence that
	Fiber Patch-cord Om4 MM, Fiber Patch-panel, and Cable	is found to be
	Wire manager.	false either
3.22.	Supply and Installation of Roughing-ins PVC Pipe Square	during Bid
	box, Pull box and Fittings.	evaluation,
3.23.	Supply and Installation of Hanger and Support Pull	post-
	threaded Rod, Heck nut w/ Washer, Grip Anchored, Uni s-	qualification
0.04	trat Channel, Uni s-trat Clamp, and C-Clamp.	or the
3.24.	Cable Pulling and Termination End to End of one (01) Run	execution of
	4 Core Fiber Optic Cable MM om4 from IDF 3rd / Floor to	the Contract
3.25.	2nd / Floor at FTEB Bldg. Cable Pulling and Termination End to End of Four (04)	may be
5.25.	Run UTP Cat 6 Cable from IDF 3rd / Floor to 2nd / Floor	regarded as
	Back-up Backbone at FTEB Bldg.	fraudulent and
3.26.	Cable Pulling and Termination End to End of One (01)	render the
0.20.	Run 4 Core Fiber Optic Cable MM Om4 from IDF Ground /	Bidder or
	Floor to Server Room 2nd / floor at EMB Bldg.	supplier liable
3.27.	Cable Pulling and Termination End to End of One (01)	for
	Run Fiber Optic Cable MM Om3 from IDF 2nd / Floor to	prosecution
	Server Room 2nd / Floor at EMB Bldg.	subject to the
3.28.	Cable pulling and Termination End to End of Four (04)	applicable
	Run UTP Cat 6 Cable from IDF Ground / Floor to 2nd /	laws and
	Floor Server 2nd / Floor Back-up Backbone at EMB Bldg.	issuances.]
3.29.	Cable pulling and Termination End to End of Four (04)	L.
	Run UTP Cat 6 Cable from IDF 2nd / Floor to Server	
	Room 2nd / Floor Back-up Backbone at EMB Bldg.	
3.30.	Painting Work and Restoration.	
3.31.	Chipping work and Restoration.	
3.32.	Fiber Optic Termination and Testing.	

Multi Pair Backbone		
3.33. Supply and Installation of 25 Pair Cable, Ca Patch-panel, Cat 5e UTP Patch-cord 1 mtr, Block, Cable Wire Manger, and TTC cabine	110 Wiri	
3.34. Supply and Installation of Roughing-ins V PVC pipe, Pull box and Fittings.	/ire Gutte	er
3.35. Supply and Installation of Hanger and Su threaded Rod Heck nut w/ Washer, Grip S-trat Channel, and Uni S-trat Clamp.		
3.36. Cable Pulling and Termination End to En 25 pair Cable for 2nd / floor Tel Backbone		• •
3.37. Cable Pulling and Termination End to En 25 pair Cable for IDF 3rd / Floor for Tel B FTEB Bldg.		
3.38. Cable Pulling and Termination End to En Run 25 pair Cable for Telephone Backbo Ground / Floor to PABX 2nd / Floor at EN	ne from	(02)
3.39. Cable Pulling and Termination End to En Run 25 Pair Cable for Telephone Backbo 2nd / Floor to PABX Room at EMB Bldg.		• •
3.40. Painting Restoration.		
3.41. Chipping Work and Restoration.		
3.42. As-built Plan/Design.		
3.43. The following are the required specification	ons:	
DATA MATERIALS	Units	Lot
UTP Cat 6 Cable	Roll	1
Cat 6 Information Outlet	Roll	1
Face Plate Duplex	Pcs	1
UTP Cat 6 Patch Cord 1 mtr	Pcs	1
UTP Cat 6 Patch Cord 1 mtr	Pcs	1
Cat 6 24 Port Patch Panel	Pcs	1
Wire Manager	Pcs	1
Pop up Outlet	Pcs	
ROUGHING-INS HANGER & SUPPORT MATERIALS Wire Gutter 12 x 4 x 8 ft, Wire Gutter 8 x 4 x 8 ft, PVC Pipe 3/4, PVC Pipe 1 PVC Pipe 2, Metal Flexible ³ / ₄ , Metal Flexible 1, Straight Connector ³ / ₄ " Straight Connector 1",	1	1
Square Box, Pull box,		

3⁄4, 1", 2", Tox, Black Screw, C-Clamp and GI Wire			
			1
FIBER OPTIC MATERIALS			
6 Core Fiber Optic Cable MM Om4	750	1	
SC Fiber Connector MM Om4	24	1	1
Om4 Fiber Patch Cord MM	6	1	1
Fiber Optic Patch panel	6	1	1
Wire Manager	6	1	
ROUGHING-INS HANGER & SUPPORT MATERIALS PVC Pipe ³ / ₄ ", PVC Pipe 1", Square Box, Pull Box, Pull Threaded Rod, Heck nut w/ Washer, Grip Anchored, Uni S-trat Channel, Uni S-trat Clamp ³ / ₄ ",			
Uni S-trat Clamp 1" Tox w/ Screw C-Clamp ³ / ₄ , C- Clamp 1" and GI Wire			
MULTI PAIRS MATERIALS			
25 Pair Cable	1	roll	
24 Port Patch panel	8	1	1
110 Wiring Block	3	1	1
TTC Box	1	1	1
Wire Manager	8	1	1
ROUGHING-INS HANGER & SUPPORT	-		
MATERIALS Wire Gutter 8 x 4 x 8 ft, PVC Pipe 2", Metal Flexible 2, Straight Connector 2, Square Box, Pull box, Fittings, Pull Threaded Rod, Heck Nut w/ Washer, Grip Anchored, Uni S-Trat Channel, Uni S-trat Clamp 2", Tox, Black Screw, C-Clamp 2" and GI Wire		1	
GENERAL REQUIREMENT Miscellaneous and Consumable Mobilization and Demobilization Chipping Work and Restoration		1	
LABOR Per form Supply Installation of 4 Core Fiber Optic Cable MM Om3 UTP Cat 6 Cable, 25 Pair Cable, for the Installation of Three (3) Run 4 Core Fiber Optic Cable, Six (06) Run UTP Cat 6 Cable for Back-up IDF Backbone, Six (06) 25 Pair Cable for Tel Backbone, Sixty Four (64) Run for CCTV and Five Hundred Fifty (550) Run UTP Cat 6 for Voice & Data FTEB and EMB Harnessing and Tagging. Testing and As-built Plan.		1	

4 QUALIFICATION REQUIREMENTS

- 4.1. The winning bidder must have the capacity and ability to provide maintenance services and technical support.
- 4.2. The Contractor must have at least One Licensed Electronic Communication Engineer who is currently employed in the contractor's company trained and certified in the design and installation of cabling system.
- 4.3. The bidder must have at least five (5) years of experience in undertaking similar project/contract (supply, delivery, installation of network cabling) by submitting proof of documents (i.e., Contract, Purchase Order or any equivalent document) with active contact details. (*Proof of Documents are required during Post-Qualification*)

LOT NO. 2

1 PROJECT DESCRIPTION/RATIONALE:

The Department of Trade and Industry (DTI) always ensure the safety and security of its main assets – its employees, premises and clientele. The use of surveillance closed-circuit television (CCTV) camera can contribute to this to enhance security and deter crime. CCTV can help prevent personal and property crimes by monitoring, transmitting and recording images.

As such, it is recommended to install CCTV system to meet the needs and strengthen the security setup of the Department.

2 OBJECTIVE:

The project aims to provide security and investigation facility that will help protect and safeguard the properties and interests of the DTI's facilities through the use of CCTV system in the following DTI offices:

- Fair Trade Enforcement Bureau
- Export Marketing Bureau

3 SCOPE OF WORK AND DELIVERABLES

CCTV system installation will involve the following activities:

3.1. Supply and Installation of UTP Cat 6 Cable, 24 Port Papanel, Rj-45, UTP Patch Cord 1 mtr 32 Channel NVR, Hard-disc, 4MP IP Dome Type Camera, 4MP IP Bullet Camera, 32" TV Monitor, 8 Port PoE Switch, HDMI Ca (Guard room to MDF/Server room) Smart-UPS SRT 30 230V and cable Wire Manager.	10TB Type ble	
 Supply and Installation of Roughing-ins PVC Pipe, Squ box, Metal Flexible, Straight Connector, Pull box and F 		
Supply and Installation of Hanger and Support Pull Threaded rod, Heck nut w/ Washer, Grip Anchored, Uni S-trat Channel,		
Uni S-trat Clamp Tox and C- Clamp. 3.4. Cable Pulling and Termination End to End of Sixteen (UTP Cat 6 Cable for IP CCTV Camera from Parking, G		
 Floor to 3rd / Floor at FTEB. 3.5. Cable Pulling and Termination End to End of Thirty-Tw UTP cat 6 Cable for IP CCTV Camera from Parking, Basement to Roof Deck EMB. 	vo (32)	
3.6. Painting Work and Restoration.3.7. Chipping Work and Restoration.		
3.8. CCTV Configuration.		
3.9. Cable Tagging and Testing.	onohin	
 Provision of As-built Plan/Drawing, System and Workm Warranty/Guarantee. 	lanship	
Wallanty/Guarantee.		
3.11 Conduct of an on-site training on the operation of the		
3.11. Conduct of an on-site training on the operation of the equipment. All expenses relative to the training/s shall	he on	
equipment. All expenses relative to the training/s shall	be on	
equipment. All expenses relative to the training/s shall the account of the winning bidder.	be on	
equipment. All expenses relative to the training/s shall	be on	
equipment. All expenses relative to the training/s shall the account of the winning bidder.	be on Unit	
equipment. All expenses relative to the training/s shall the account of the winning bidder.3.12. The following are the required specifications:		
equipment. All expenses relative to the training/s shall the account of the winning bidder. 3.12. The following are the required specifications: CCTV CAMERA MATERIALS	Unit	
equipment. All expenses relative to the training/s shall the account of the winning bidder. 3.12. The following are the required specifications: CCTV CAMERA MATERIALS UTP Cat 6 Cable	Unit roll	
equipment. All expenses relative to the training/s shall the account of the winning bidder. 3.12. The following are the required specifications: CCTV CAMERA MATERIALS UTP Cat 6 Cable 24 Port Patch panel	Unit roll pcs	
equipment. All expenses relative to the training/s shall the account of the winning bidder. 3.12. The following are the required specifications: CCTV CAMERA MATERIALS UTP Cat 6 Cable 24 Port Patch panel RJ-45 32 Inches LED TV	Unit roll pcs pcs	
equipment. All expenses relative to the training/s shall the account of the winning bidder. 3.12. The following are the required specifications: CCTV CAMERA MATERIALS UTP Cat 6 Cable 24 Port Patch panel RJ-45	Unit roll pcs pcs 2	
equipment. All expenses relative to the training/s shall the account of the winning bidder. 3.12. The following are the required specifications: CCTV CAMERA MATERIALS UTP Cat 6 Cable 24 Port Patch panel RJ-45 32 Inches LED TV 32 Channel NVR PoE 16 Channel NVR PoE	Unit roll pcs pcs 2 1 1	
equipment. All expenses relative to the training/s shall the account of the winning bidder. 3.12. The following are the required specifications: CCTV CAMERA MATERIALS UTP Cat 6 Cable 24 Port Patch panel RJ-45 32 Inches LED TV 32 Channel NVR PoE 16 Channel NVR PoE 4 MP Dome Type Camera	Unit roll pcs pcs 2 1 1 20	
equipment. All expenses relative to the training/s shall the account of the winning bidder. 3.12. The following are the required specifications: CCTV CAMERA MATERIALS UTP Cat 6 Cable 24 Port Patch panel RJ-45 32 Inches LED TV 32 Channel NVR PoE 16 Channel NVR PoE 4 MP Dome Type Camera 4 MP Bullet Type Camera	Unit roll pcs 2 1 20 28	
equipment. All expenses relative to the training/s shall the account of the winning bidder. 3.12. The following are the required specifications: CCTV CAMERA MATERIALS UTP Cat 6 Cable 24 Port Patch panel RJ-45 32 Inches LED TV 32 Channel NVR PoE 16 Channel NVR PoE 4 MP Dome Type Camera 4 MP Bullet Type Camera 10 TB Hard-disc	Unit roll pcs pcs 1 20 28 8	
equipment. All expenses relative to the training/s shall the account of the winning bidder. 3.12. The following are the required specifications: CCTV CAMERA MATERIALS UTP Cat 6 Cable 24 Port Patch panel RJ-45 32 Inches LED TV 32 Channel NVR PoE 16 Channel NVR PoE 16 Channel NVR PoE 4 MP Dome Type Camera 4 MP Bullet Type Camera 10 TB Hard-disc HDMI Cable	Unit roll pcs 2 1 20 28 8 4	
equipment. All expenses relative to the training/s shall the account of the winning bidder. 3.12. The following are the required specifications: CCTV CAMERA MATERIALS UTP Cat 6 Cable 24 Port Patch panel RJ-45 32 Inches LED TV 32 Channel NVR PoE 16 Channel NVR PoE 16 Channel NVR PoE 4 MP Dome Type Camera 4 MP Bullet Type Camera 10 TB Hard-disc HDMI Cable 8 Port PoE Switch	Unit roll pcs pcs 1 20 28 8 4 8	
equipment. All expenses relative to the training/s shall the account of the winning bidder. 3.12. The following are the required specifications: CCTV CAMERA MATERIALS UTP Cat 6 Cable 24 Port Patch panel RJ-45 32 Inches LED TV 32 Channel NVR PoE 16 Channel NVR PoE 4 MP Dome Type Camera 4 MP Bullet Type Camera 10 TB Hard-disc HDMI Cable 8 Port PoE Switch UTP Cat 6 Patch-cord	Unit roll pcs 2 1 20 28 8 4	
equipment. All expenses relative to the training/s shall the account of the winning bidder. 3.12. The following are the required specifications: CCTV CAMERA MATERIALS UTP Cat 6 Cable 24 Port Patch panel RJ-45 32 Inches LED TV 32 Channel NVR PoE 16 Channel NVR PoE 16 Channel NVR PoE 4 MP Dome Type Camera 4 MP Bullet Type Camera 10 TB Hard-disc HDMI Cable 8 Port PoE Switch UTP Cat 6 Patch-cord ROUHING-INS HANGER & MATERIAL	Unit roll pcs pcs 1 20 28 8 4 8	
equipment. All expenses relative to the training/s shall the account of the winning bidder. 3.12. The following are the required specifications: CCTV CAMERA MATERIALS UTP Cat 6 Cable 24 Port Patch panel RJ-45 32 Inches LED TV 32 Channel NVR PoE 16 Channel NVR PoE 16 Channel NVR PoE 4 MP Dome Type Camera 4 MP Bullet Type Camera 10 TB Hard-disc HDMI Cable 8 Port PoE Switch UTP Cat 6 Patch-cord ROUHING-INS HANGER & MATERIAL Wire Gutter 4 x 4 X 8ft, PVC Pipe ³ / ₄ ", PVC Pipe 1", Pvc	Unit roll pcs pcs 1 20 28 8 4 8	
equipment. All expenses relative to the training/s shall the account of the winning bidder. 3.12. The following are the required specifications: CCTV CAMERA MATERIALS UTP Cat 6 Cable 24 Port Patch panel RJ-45 32 Inches LED TV 32 Channel NVR PoE 16 Channel NVR PoE 16 Channel NVR PoE 4 MP Dome Type Camera 4 MP Bullet Type Camera 10 TB Hard-disc HDMI Cable 8 Port PoE Switch UTP Cat 6 Patch-cord ROUHING-INS HANGER & MATERIAL Wire Gutter 4 x 4 X 8ft, PVC Pipe ³ / ₄ ", PVC Pipe 1", Pvc Pipe 2', Square Box	Unit roll pcs pcs 1 20 28 8 4 8	
equipment. All expenses relative to the training/s shall the account of the winning bidder. 3.12. The following are the required specifications: CCTV CAMERA MATERIALS UTP Cat 6 Cable 24 Port Patch panel RJ-45 32 Inches LED TV 32 Channel NVR PoE 16 Channel NVR PoE 16 Channel NVR PoE 4 MP Dome Type Camera 4 MP Bullet Type Camera 10 TB Hard-disc HDMI Cable 8 Port PoE Switch UTP Cat 6 Patch-cord ROUHING-INS HANGER & MATERIAL Wire Gutter 4 x 4 X 8ft, PVC Pipe ¾", PVC Pipe 1", Pvc Pipe 2', Square Box Pull Box, Metal Flexible ½", ¾, Straight Connector ½",	Unit roll pcs pcs 1 20 28 8 4 8	
equipment. All expenses relative to the training/s shall the account of the winning bidder. 3.12. The following are the required specifications: CCTV CAMERA MATERIALS UTP Cat 6 Cable 24 Port Patch panel RJ-45 32 Inches LED TV 32 Channel NVR PoE 16 Channel NVR PoE 16 Channel NVR PoE 4 MP Dome Type Camera 4 MP Bullet Type Camera 10 TB Hard-disc HDMI Cable 8 Port PoE Switch UTP Cat 6 Patch-cord ROUHING-INS HANGER & MATERIAL Wire Gutter 4 x 4 X 8ft, PVC Pipe ³ ⁄ ₄ ", PVC Pipe 1", Pvc Pipe 2', Square Box Pull Box, Metal Flexible ¹ ⁄ ₂ ", ³ ⁄ ₄ , Straight Connector ¹ ⁄ ₂ ", ³ ⁄ ₄ ", Pull Threaded Rod, Heck Nut w/ Washer, Grip	Unit roll pcs pcs 1 20 28 8 4 8	
equipment. All expenses relative to the training/s shall the account of the winning bidder. 3.12. The following are the required specifications: CCTV CAMERA MATERIALS UTP Cat 6 Cable 24 Port Patch panel RJ-45 32 Inches LED TV 32 Channel NVR PoE 16 Channel NVR PoE 16 Channel NVR PoE 4 MP Dome Type Camera 4 MP Bullet Type Camera 10 TB Hard-disc HDMI Cable 8 Port PoE Switch UTP Cat 6 Patch-cord ROUHING-INS HANGER & MATERIAL Wire Gutter 4 x 4 X 8ft, PVC Pipe ¾", PVC Pipe 1", Pvc Pipe 2', Square Box Pull Box, Metal Flexible ½", ¾, Straight Connector ½",	Unit roll pcs pcs 1 20 28 8 4 8	

(1 Unit)	32-ch 1.5U 2	4 PoE 4K NVR
• l	Up to 32 char	nel IP cameras can be connected
• l	Up to 2-ch @	12 MP/16-ch @ 1080p decoding capacity
• 2	2 HDMI and 1	VGA interfaces: HDMI interfaces support
		/ideo output
		ontinuous video recording
	0	vith 24 Power-over-Ethernet (PoE) interfaces
• 3	Supports vari	ous special function cameras, including
t	hermal came	ra/fisheye/people counting/heatmap/ANPR
(automatic nu	mber plate recognition)
• /	Advanced stre	eaming technology enables smooth live view
		correction in poor network conditions
		I-stream recording to save time and
		-stream recording to save time and
Ĩ	oandwidth	
Video A	And Audio	
IP Video	o Input	32-ch Up to 12 MP resolution
HDMI 1	Output	4K (3840 × 2160)/60Hz, 4K (3840 × 2160)/30Hz, 1920 × 1080/60Hz, 1600 × 1200/60Hz, 1280 × 1024/60Hz, 1280 × 720/60Hz, 1024 × 768/60Hz
HDMI 2	Output	1920 × 1080/60Hz, 1280 × 1024/60Hz, 1280 × 720/60Hz, 1024 × 768/60H
Outgoin (Min)	g Bandwidth	256 Mbps
CVBS C	Dutput	1-ch, BNC (1.0 Vp-p, 75 Ω), resolution: PAL: 704 × 576, NTSC: 704 × 480
VGA Ou	utput	1920 × 1080/60Hz, 1280 × 1024/60Hz, 1280 × 720/60Hz, 1024 × 768/60Hz
Video C	output Mode	HDMI1/VGA simultaneous output, HDMI2/VGA independent output
Incomin	g Bandwidth	320 Mbps
Audio C		1-ch, RCA (Linear, 1 KΩ)
Two-Wa	ay Audio	1-ch, RCA (2.0 Vp-p, 1 KΩ, using the audio input)
Decodi		
Dual-St		Support
Recordi	0	Video Video 8 Audio
Stream		Video, Video & Audio
	ompression	G.711ulaw/G.711alaw/G.722/G.726
	ng Format	H.265+/H.265/H.264+/H.264/MPEG4
		2-ch@12 MP (20 fps)/4-ch@8 MP (30 fps)/8- ch@4 MP (30 fps)/16-ch@1080p (30 fps)
Synchro	onous :k	16-ch

Record	0	12 MP/8 MP/6 MP/5 MP/4 MP/3
Resolu	ition	MP/1080p/UXGA/720p/VGA /4CIF/DCIF/
Natura		2CIF/CIF/QCIF
Netwo	rk rk Protocol	TCP/IP, DHCP, IPv4, IPv6, DNS, DDNS,
Networ	K FIOLOCOI	NTP, RTSP, SADP, SMTP, SNMP, NFS,
		iSCSI, ISUP, UPnP™, HTTP, HTTPS
Netwo	rk Interface	1, RJ-45 10/100/1000 Mbps self-adaptive
		Ethernet interface
PoE		
Interfa	ce	24, RJ-45 10/100 Mbps self-adaptive
Dowor		Ethernet interface ≤ 210 W
Power Standa	vrd	IEEE 802.3 af/at
	ary Interface	IEEE 002.3 al/at
SATA		4 SATA interfaces
ESATA	A	1 eSATA interface
Capaci		Up to 10 TB capacity for each disk
-	Interface1	RS-485 (half-duplex), 1 RS-232
USB Ir	nterface	Front panel: 2 × USB 2.0; Rear panel: 1 ×
		USB 3.0
Alarm		16/4 (16/8 optional)
Genera		
	Supply	100 to 240 VAC, 50 to 60 Hz
Consu Workin		≤ 20 W (without HDD and PoE off) -10 °C to 55 °C (14 °F to 131 °F)
	erature	-10 C 10 55 C (14 F 10 151 F)
•	g Humidity	10% to 90%
	<u> </u>	
(1 Unit	t) 16-ch 1U 16	PoE 4K NVR
•	Up to 16 char	nnel IP cameras can be connected
•	Up to 2-ch@ ²	12 MP/16-ch@1080p decoding capacity
	-	VGA interfaces: both interfaces support
	independent	
•	2 HDDs for continuous video recording	
•	Plug & Play with 16 Power-over-Ethernet (PoE) interfaces	
•	Supports various special function cameras, including	
	thermal camera/fisheye/people counting/heatmap/ANPR	
		imber plate recognition)
	,	1 0)
•	Advanced streaming technology enables smooth live view	
		-correction in poor network conditions
•		I-stream recording to save time and
	bandwidth	
Videe		
	And Audio	16-ch Up to 12 MP resolution

Incoming Bandwidth	160 Mbps
Outgoing Bandwidth	256 Mbps
HDMI Output	4K (3840 × 2160)/60Hz, 4K (3840 ×
	2160)/30Hz, 1920 × 1080/60Hz, 1600 ×
	1200/60Hz, 1280 × 1024/60Hz, 1280 ×
	720/60Hz, 1024 × 768/60Hz
VGA Output	1920 × 1080/60Hz, 1280 × 1024/60Hz, 1280
	× 720/60Hz, 1024 × 768/60Hz
Video Output Mode	HDMI/VGA independent output
CVBS Output	1-ch, BNC (1.0 Vp-p, 75 Ω), resolution: PAL:
	704 × 576, NTSC: 704 × 480
Audio Output	1-ch, RCA (Linear, 1 KΩ)
Two-Way Audio	1-ch, RCA (2.0 Vp-p, 1 KΩ, using the audio input)
Decoding	
Decoding Format	H.265+/H.265/H.264+/H.264/MPEG4
Recording	12 MP/8 MP/6 MP/5 MP/4 MP/3
Resolution	MP/1080p/UXGA/720p/VGA /4CIF/DCIF/
	2CIF/CIF/QCIF
Synchronous	16-ch
Playback	
Decoding Capability	2-ch@12 MP (20 fps)/4-ch@8 MP (25 fps)/8-
	ch@4 MP (30 fps)/16-ch@1080p (30 fps)
Dual-Stream	Support
Recording	
Stream Type	Video, Video & Audio
Audio Compression	G.711ulaw/G.711alaw/G.722/G.726
Network	
Network Protocol	TCP/IP, DHCP, IPv4, IPv6, DNS, DDNS,
	NTP, RTSP, SADP, SMTP, SNMP, NFS,
	iSCSI, ISUP, UPnP™, HTTP, HTTPS
Network Interface	1, RJ-45 10/100/1000 Mbps self-adaptive
	Ethernet interface
ΡοΕ	
Interfeet	16, RJ-45 10/100 Mbps self-adaptive
Interface	
	Ethernet interface
Power	≤ 200W
Power Standard	
Power Standard Auxiliary Interface	≤ 200W IEEE 802.3 af/at
Power Standard	≤ 200W
Power Standard Auxiliary Interface	≤ 200W IEEE 802.3 af/at
Power Standard Auxiliary Interface SATA	≤ 200W IEEE 802.3 af/at 2 SATA interfaces
Power Standard Auxiliary Interface SATA Capacity	 ≤ 200W IEEE 802.3 af/at 2 SATA interfaces Up to 10 TB capacity for each HDD
Power Standard Auxiliary Interface SATA Capacity	 ≤ 200W IEEE 802.3 af/at 2 SATA interfaces Up to 10 TB capacity for each HDD Front panel: 1 × USB 2.0; Rear panel: 1 ×
Power Standard Auxiliary Interface SATA Capacity USB Interface	 ≤ 200W IEEE 802.3 af/at 2 SATA interfaces Up to 10 TB capacity for each HDD Front panel: 1 × USB 2.0; Rear panel: 1 × USB 3.0
Power Standard Auxiliary Interface SATA Capacity USB Interface Alarm In/Out	 ≤ 200W IEEE 802.3 af/at 2 SATA interfaces Up to 10 TB capacity for each HDD Front panel: 1 × USB 2.0; Rear panel: 1 × USB 3.0
Power Standard Auxiliary Interface SATA Capacity USB Interface Alarm In/Out General Power Supply	 ≤ 200W IEEE 802.3 af/at 2 SATA interfaces Up to 10 TB capacity for each HDD Front panel: 1 × USB 2.0; Rear panel: 1 × USB 3.0 4/1 100 to 240 VAC, 50 to 60 Hz
Power Standard Auxiliary Interface SATA Capacity USB Interface Alarm In/Out General Power Supply Consumption	 ≤ 200W IEEE 802.3 af/at 2 SATA interfaces Up to 10 TB capacity for each HDD Front panel: 1 × USB 2.0; Rear panel: 1 × USB 3.0 4/1 100 to 240 VAC, 50 to 60 Hz ≤15 W (without enabling PoE)
Power Standard Auxiliary Interface SATA Capacity USB Interface Alarm In/Out General Power Supply	 ≤ 200W IEEE 802.3 af/at 2 SATA interfaces Up to 10 TB capacity for each HDD Front panel: 1 × USB 2.0; Rear panel: 1 × USB 3.0 4/1 100 to 240 VAC, 50 to 60 Hz

technology and wide t design on the basis	ches, providing advanced PoE power supply emperature range (-22° to149° F/-30 to 65° C) of high-performance access to ensure stable ches support Hi-PoE, long range, port isolation,	
• 6 × Gb PoE RS-4 SFP Fiber Optica	5 Ports, 2 × Gb Hi-PoE RJ-45 Ports, 2 × Gb I Ports	
 IEEE 802.3at/af/b PoE Output) 	t Standard for Hi-PoE Port (Maximum 90 W	
PoE Output Powe	er Management	
• Up to 980 ft (300	m) Long-Range Transmission	
PoE Watchdog A Cameras	uto Detects/Restarts Non-Responsive	
• Wide Temperatur	e Range -22° to 149° F (-30° to 65° C)	
Network Parameters	 6 × Gigabit PoE ports, 2 × Gigabit Hi- PoE RJ45 ports, and 2 × Gigabit fiber optical ports RJ45 port, full duplex, MDI/MDI-X adaptive Standard mode (default), Extend mode, Isolation mode, PoE watchdog mode IEEE 802.3, IEEE 802.3u, IEEE 802.3x, IEEE 802.3z and IEEE 802.3ab Store-and-forward switching Ports 7 and 8 4 K 	
Internal Cache	1.5 Mbits	
Switching Capacity Packet Forwarding Rate	20 Gbps 14.88 Mpps	
PoE Power Supply		
PoE Standard	Ports 1 and 2: IEEE 802.3af, IEEE 802.3at, IEEE 802.3bt Ports 3 to 8: IEEE 802.3af, IEEE 802.3at	
PoE Power Pin	Ports 1 to 2 and 7 to 8: 8-pin power: 1/2(-), 3/6(+), 4/5(+), 7/8(-) Ports 3 to 6: End-span: 1/2(-), 3/6(+)	
PoE Port	Ports 3 to 8	
Max. Port Power	Ports 1 and 2: 90 W, Ports 3 to 8: 30 W	
PoE Power Budget	110 W	

Dialing Function	
_ong Range	Ports 7 and 8: up to 300 m.
Port Isolation	Ports 1 to 8: port isolation mode to improve
	network security.
PoE Watchdog	Ports 1 to 8: auto detect and restart the
	cameras that do not respond
General	
Storage	-40 °C to 85 °C (-40 °F to 185 °F)
Temperature	EV(to 0EV((no condensation))
Storage Humidity	5% to 95% (no condensation) < 10 W
Power Consumption	< 10 VV
Shell	Metal material, fan-free design
Operating	-30 °C to 65 °C (-22 °F to 149°F)
Temperature	
Operating Humidity	5% to 95%
Power Supply	48 to 57 VDC, 2.5 A Max.
Max. Power	120 W
Consumption	
Approval	
EMC	FCC (47 CFR Part 15, Subpart B); CE-EMC (EN 55032: 2015, EN 61000-3-2: 2014, EN 61000-3-3: 2013, EN 55024: 2010 +A1: 2015); RCM (AS/NZS CISPR 32: 2015); IC (ICES-003: Issue 6, 2016)
Safety	UL (UL 60950-1); CB (IEC 60950-1:2005 + Am 1:2009 + Am 2:2013); CE-LVD (EN 60950-1:2005 + Am 1:2009 + Am 2:2013)
Chemistry	CE-RoHS (2011/65/EU); WEEE (2012/19/EU); Reach (Regulation (EC) No 1907/2006)
Storage	4 x 10 Terabyte HDD
32" FULL HD LED MO	DNITOR (2 Units)
Type	
Size	32 Inches
Resolution	Full HD
Number of HDMI Ports (input)	³ 2
Tuner	Built-in
Number of Inputs for	. 1
•	
Video Component Audio	Stereo

Contrast Enhancement	With feature for Contrast Enhance	ment
Number of USB Port	s 1	
/oltage	220 AC	
imer	With Timer	
JSB Playback Code	MPEG1/MPEGS2PS/MPEG2TS/A MP4P/MP4Part2/A VI/WAV/MP3/WMA/JPEG	VCHD/
Voltage	100-230VAC	
Narranty	1 Year	
Weatherproof IP Ca		28
High quality imaging	with 4 MP resolution	
1/3" progressive sca	n CMOS (2560 × 1440@20fps)	
2.8 mm/4 mm fixed l	ens	
Efficient H.265+ com bandwidth and stora	pression technology to save ge	
Dual-stream		
Clear imaging agains WDR technology	st strong back light due to 120 dB true	
Up to 30 m IR range		
Water and dust resis	tant (IP67)	
3D DNR technology	delivers clean and sharp images	
	delivers clean and sharp images	
Easy installation with echnology		
Easy installation with echnology	Power over Ethernet (PoE)	
Easy installation with echnology Front cover: metal, c 28 (Pcs) Camera IP	amera body: metal, bracket: metal Bullet PoE 4 MP	
Easy installation with echnology Front cover: metal, c 28 (Pcs) Camera IP mage Sensor	amera body: metal, bracket: metal Bullet PoE 4 MP 1/3" Progressive Scan CMOS	
Easy installation with technology Front cover: metal, c 28 (Pcs) Camera IP mage Sensor Min. Illumination	amera body: metal, bracket: metal Bullet PoE 4 MP 1/3" Progressive Scan CMOS Color: 0.001 Lux @(F1.0, AGC ON), 0 white light	Lux with
Easy installation with technology Front cover: metal, c 28 (Pcs) Camera IP mage Sensor Min. Illumination Shutter Speed	amera body: metal, bracket: metal Bullet PoE 4 MP 1/3" Progressive Scan CMOS Color: 0.001 Lux @(F1.0, AGC ON), 0 white light 1/3 s to 1/100, 000 s	Lux with
Easy installation with technology Front cover: metal, c 28 (Pcs) Camera IP mage Sensor Min. Illumination Shutter Speed Slow Shutter	Power over Ethernet (PoE) amera body: metal, bracket: metal Bullet PoE 4 MP 1/3" Progressive Scan CMOS Color: 0.001 Lux @(F1.0, AGC ON), 0 white light 1/3 s to 1/100, 000 s Yes	Lux with
Easy installation with echnology Front cover: metal, c 28 (Pcs) Camera IP mage Sensor Min. Illumination Shutter Speed Slow Shutter	amera body: metal, bracket: metal Bullet PoE 4 MP 1/3" Progressive Scan CMOS Color: 0.001 Lux @(F1.0, AGC ON), 0 white light 1/3 s to 1/100, 000 s	Lux with

Focal Length & FOV	2.8 mm, horizontal FOV 96.5°, vertical FOV 50.8°, diagonal FOV 113.9° 4 mm, horizontal FOV 75.8°, vertical FOV 40.8°, diagonal FOV 89.1°
Lens Mount	M12
Focus	Fixed
Aperture	F1.0
DORI	2.8 mm, D: 64.0 m, O: 25.4 m, R: 12.8 m, I: 6.4 m 4 mm, D: 77.4 m, O: 30.7m, R: 15.5m, I: 7.7 m
Illuminator	
Smart Supplement Light	Yes
White Light Range	Up to 30 m
Video	
Max. Resolution	2560 × 1440, 50 Hz:, 20 fps (2560 × 1440), 25 fps (1920 × 1080, 1280 × 720)
Main Stream	60 Hz, 20 fps (2560 × 1440), 30 fps (1920 × 1080, 1280 × 720)
Sub-Stream	50 Hz: 25 fps (1280 × 720, 640 × 480, 640 × 360) 60 Hz: 30 fps (1280 × 720, 640 × 480, 640 × 360)
Video	Main stream: H.265/H.264
Compression	
	Sub-stream: H.265/H.264/MJPEG
Video Bit Rate	32 Kbps to 8 Mbps
Н.264 Туре	Baseline Profile/Main Profile/High Profile
H.265	Type Main Profile
H.264+	Main stream supports
H.265+	Main stream supports
Region of Interest (ROI)	1 fixed region for main stream
Audio	
Audio Compression	-UF: G.711ulaw/G.711alaw/G.722.1/G.726/MP2L2/ PCM/AAC
Audio Bit Rate	-UF: 64 Kbps (G.711ulaw/G.711alaw)/16 Kbps (G.722.1)/16 Kbps (G.726)/32 to 160, Kbps (MP2L2)/16 to 64 Kbps (AAC)
Audio Sampling Rate	-UF: 8 kHz/16 kHz
Environment Noise Filtering	-UF: Yes
Network	
Protocols	TCP/IP, ICMP, HTTP, HTTPS, FTP, DHCP, DNS, DDNS, RTP, RTSP, RTCP, NTP,

Simultaneous ₋ive View	Up to 6 channels
PI	Open Network Video Interface, ISAPI
Jser/Host	Up to 32 users. 3 levels: administrator, operator and user
Web Browser	Plug-in required live view: IE 10+ Plug-in free live view: Chrome 57.0+, Firefox 52.0+ Local service: Chrome 57.0+, Firefox 52.0+
Image	
Image Settings	Saturation, brightness, contrast, sharpness, AGC, white balance adjustable by client software or web browser.
Day/Night Switch	Day, Night, Auto, Schedule
Image Enhancement	BLC, 3D DNR
Interface	
Ethernet Interface	1 RJ45 10 M/100 M self-adaptive Ethernet port
On-Board Storage	-UF: Built-in memory card slot, support microSD card, up to 256 GB
Built-in Microphone	-UF: Yes
Hardware Reset	-UF: Yes
Event	
Basic Event	Motion detection, video tampering alarm, exception
General	
Linkage Method	Upload to FTP/memory card (-UF), notify surveillance center, send email, trigger recording (-UF), trigger capture
Camera Material	Aluminum alloy body
Storage Conditions	-30 °C to 60 °C (-22 °F to 140 °F). Humidity: 95% or less (non-condensing)
Startup and Operating Conditions	-30 °C to 60 °C (-22 °F to 140 °F). Humidity: 95% or less (non-condensing)
Web Client Language	English, Ukrainian
General Function	Anti-flicker, heartbeat, mirror, password protection, privacy mask, watermark, IP address filter
Firmware Version	V5.5.122
Power Consumption and Current	12 VDC, 0.4 A, max. 5 W, PoE: (802.3af, 36 V to 57 V), 0.2 A to 0.15 A, max. 6.5 W
Power Supply	12 VDC ± 25% PoE: 802.3af, Class 3
Power Interface	Ø5.5 mm coaxial power plug
Warranty	1 year

Image Sensor	1/3" Progressive Scan CMOS
Min. Illumination	Color: 0.01 Lux @(F1.2, AGC ON), 0.028Lux @
	(F2.0, AGC ON)
Shutter Speed	1/3 s to 1/100, 000 s
Slow Shutter	Yes
Wide Dynamic	120 dB
Range	
Day & Night IR cut	Digital Noise Reduction 3D DNR
filter	
Angle Adjustment	Pan: 0° to 360°, tilt: 0° to 90°, rotate: 0° to 360°
Lens	
Focal Length	2.8 mm, 4 mm
FOV	2.8 mm, horizontal FOV 100°, vertical FOV 55°, diagonal FOV 117°
	4 mm, horizontal FOV 77°, vertical FOV 42°, diagonal FOV 88°
Lens Mount	M12
Focus	No
Aperture	F2.0
IR	
IR Range	Up to 30 m
Wavelength	850 nm
Illuminator	
Smart	Yes
Supplement Light White Light Range	Up to 30 m
Video	
Max. Resolution	2560 × 1440, 50 Hz:, 20 fps (2560 × 1440), 25
	fps (1920 × 1080, 1280 × 720)
Main Stream	60 Hz, 20 fps (2560 × 1440), 30 fps (1920 × 1080, 1280 × 720)
Sub-Stream	50 Hz: 25 fps (1280 × 720, 640 × 480, 640 × 360)
	60 Hz: 30 fps (1280 × 720, 640 × 480, 640 ×
Video	360) Main stream: H.265/H.264
Video Compression	імані Stream. п.200/п.204
001110100001	Sub-stream: H.265/H.264/MJPEG
Video Bit Rate	32 Kbps to 8 Mbps
H.264 Type	Baseline Profile/Main Profile/High Profile
H.265	Type Main Profile
H.264+	Main stream supports
H.265+	Main stream supports
Region of Interest (ROI)	1 fixed region for main stream
Audio	
Audio	-UF:
Compression	G.711ulaw/G.711alaw/G.722.1/G.726/MP2L2/ PCM/AAC
Audio Bit Rate	-UF: 64 Kbps (G.711ulaw/G.711alaw)/16 Kbps (G.722.1)/16 Kbps (G.726)/32 to 160, Kbps (MP2L2)/16 to 64 Kbps (AAC)

Noise Filtering Network Protocols TCP/IP, ICMP, HTTP, HTTPS, FTP, DHCP, DNS, DDNS, RTP, RTSP, RTCP, NTP, UPnP™, SMTP, IGMP, 802.1X, QoS, IPv6, Bonjour, IPv4, UDP, SSL/TLS Simultaneous Up to 6 channels Live View Up to 6 channels NPI Open Network Video Interface, ISAPI Jser/Host Up to 32 users. 3 levels: administrator, operator and user Web Browser Plug-in required live view: IE 10+ Plug-in free live view: Chrome 57.0+, Firefox 52.0+ Local service: Chrome 57.0+, Firefox 52.0+ mage Saturation, brightness, contrast, sharpness, AGC, white balance adjustable by client software or web browser. Day/Night Switch Day, Night, Auto, Schedule mage BLC, 3D DNR Enhancement -UF: Built-in memory card slot, support microSD card, up to 256 GB Suilt-in -UF: Yes dicrophone -UF: Yes -tardware Reset -UF: Yes Event Motion detection, video tampering alarm, exception Gameral Upload to FTP/memory card (-UF), notify surveillance center, send email, trigger recording (-UF), trigger capture Zamera Material Aluminum alloy body Storage -30 °C to 60 °C (-22 °F to 140 °F). Humidity: Operating Oper ting -30 °C to 60	Audio Sampling Rate	-UF: 8 kHz/16 kHz					
Network TCP/IP, ICMP, HTTP, HTTPS, FTP, DHCP, DNS, DDNS, RTP, RTSP, RTCP, NTP, UPnP™, SMTP, IGMP, 802.1X, QoS, IPv6, Bonjour, IPv4, UDP, SSL/TLS Simultaneous .ive View Up to 6 channels API Open Network Video Interface, ISAPI Jser/Host Up to 32 users. 3 levels: administrator, operator and user Web Browser Plug-in required live view: IE 10+ Plug-in free live view: Chrome 57.0+, Firefox 52.0+ Local service: Chrome 57.0+, Firefox 52.0+ Local service: Chrome 57.0+, Firefox 52.0+ Local service: Chrome 57.0+, Firefox 52.0+ Mage mage Saturation, brightness, contrast, sharpness, AGC, white balance adjustable by client software or web browser. Day/Night Switch Day, Night, Auto, Schedule mage BLC, 3D DNR Ethernet Interface 1 RJ45 10 M/100 M self-adaptive Ethernet port On-Board Storage -UF: Wes Aicrophone -UF: Yes asaic Event Motion detection, video tampering alarm, exception General Upload to FTP/memory card (-UF), notify surveillance center, send email, trigger recording (-UF), trigger capture Camera Material Aluminum alloy body Storage -30 °C to 60 °C (-22 °F to 140 °F). Humidity: 95% or less (non-condensing) Startup and -30 °C to 60 °C (-22 °F to 140 °F). Humidity:	Environment Noise Filtering	-UF: Yes					
Protocols TCP/IP, ICMP, HTTP, HTTPS, FTP, DHCP, DNS, DDNS, RTP, RTSP, RTCP, NTP, UPnP™, SMTP, IGMP, 802.1X, QoS, IPv6, Bonjour, IPv4, UDP, SSL/TLS Simultaneous Live View Up to 6 channels API Open Network Video Interface, ISAPI Jser/Host Up to 32 users. 3 levels: administrator, operator and user Web Browser Plug-in required live view: IE 10+ Plug-in free live view: Chrome 57.0+, Firefox 52.0+ Local service: Chrome 57.0+, Firefox 52.0+ mage mage Saturation, brightness, contrast, sharpness, AGC, white balance adjustable by client software or web browser. Day/Night Switch Day, Night, Auto, Schedule mage BLC, 3D DNR Ethernet Interface 1 RJ45 10 M/100 M self-adaptive Ethernet port On-Board Storage -UF: Yes Aitrophone -UF: Yes Hardware Reset -UF: Yes Sasic Event Motion detection, video tampering alarm, exception Gameral Upload to FTP/memory card (-UF), notify surveillance center, send email, trigger recording (-UF), trigger capture Camera Material Aluminum alloy body Storage -30 °C to 60 °C (-22 °F to 140 °F). Humidity: 95% or less (non-condensing) Startup and O°C to 60 °C (-22 °F to 140 °F). Humidity: 0perating OS% or less (non-condens	Network						
Live View Open Network Video Interface, ISAPI API Open Network Video Interface, ISAPI Jser/Host Up to 32 users. 3 levels: administrator, operator and user Web Browser Plug-in required live view: IE 10+ Plug-in free live view: Chrome 57.0+, Firefox 52.0+ Local service: Chrome 57.0+, Firefox 52.0+ mage Saturation, brightness, contrast, sharpness, AGC, white balance adjustable by client software or web browser. Day/Night Switch Day, Night, Auto, Schedule mage BLC, 3D DNR Enhancement 1 RJ45 10 M/100 M self-adaptive Ethernet port On-Board Storage -UF: Built-in memory card slot, support microSD card, up to 256 GB Built-in -UF: Yes Advare Reset -UF: Yes Event Sasic Event Sasic Event Motion detection, video tampering alarm, exception General Upload to FTP/memory card (-UF), notify surveillance center, send email, trigger recording (-UF), trigger capture Camera Material Aluminum alloy body Starup -30 °C to 60 °C (-22 °F to 140 °F). Humidity: 95% or less (non-condensing) Orditions 95% or less (non-condensing) Veb Client English, Ukrainian	Protocols	DNS, DDNS, RTP, RTSP, RTCP, NTP, UPnP™, SMTP, IGMP, 802.1X, QoS, IPv6, Bonjour, IPv4, UDP, SSL/TLS					
API Open Network Video Interface, ISAPI Jser/Host Up to 32 users. 3 levels: administrator, operator and user Web Browser Plug-in required live view: IE 10+ Plug-in free live view: Chrome 57.0+, Firefox 52.0+ Local service: Chrome 57.0+, Firefox 52.0+ mage Saturation, brightness, contrast, sharpness, AGC, white balance adjustable by client software or web browser. Day/Night Switch Day, Night, Auto, Schedule mage BLC, 3D DNR Enhancement -UF: Built-in memory card slot, support microSD card, up to 256 GB Built-in -UF: Yes Aircophone -UF: Yes Aircophone -UF: Yes Sasic Event Motion detection, video tampering alarm, exception Saereal Upload to FTP/memory card (-UF), notify surveillance center, send email, trigger recording (-UF), trigger capture Camera Material Aluminum alloy body Starup -30 °C to 60 °C (-22 °F to 140 °F). Humidity: 95% or less (non-condensing) Conditions 95% or less (non-condensing) Conditions PS% or less (non-condensing)	Simultaneous Live View	Up to 6 channels					
Jser/Host Up to 32 users. 3 levels: administrator, operator and user Web Browser Plug-in required live view: IE 10+ Plug-in free live view: Chrome 57.0+, Firefox 52.0+ Local service: Chrome 57.0+, Firefox 52.0+ mage Saturation, brightness, contrast, sharpness, AGC, white balance adjustable by client software or web browser. Day/Night Switch Day, Night, Auto, Schedule mage BLC, 3D DNR Enhancement -UF: Built-in memory card slot, support microSD card, up to 256 GB Built-in -UF: Yes Zerent -UF: Yes Satoration Upload to FTP/memory card (-UF), notify surveillance center, send email, trigger recording (-UF), trigger capture Camera Material Aluminum alloy body Storage -30 °C to 60 °C (-22 °F to 140 °F). Humidity: 95% or less (non-condensing) Conditions 95% or less (non-condensing) Veb Client English, Ukrainian	API	Open Network Video Interface, ISAPI					
Plug-in free live view: Chrome 57.0+, Firefox 52.0+ Local service: Chrome 57.0+, Firefox 52.0+magemage SettingsSaturation, brightness, contrast, sharpness, AGC, white balance adjustable by client software or web browser.Day/Night SwitchDay, Night, Auto, ScheduleDay/Night SwitchDay, Night, Auto, ScheduleDay (Storage1 RJ45 10 M/100 M self-adaptive Ethernet portOn-Board Storage-UF: Built-in memory card slot, support microSD card, up to 256 GBBuilt-in-UF: YesMicrophone-UF: YesHardware Reset-UF: YesEventSasic EventBasic EventMotion detection, video tampering alarm, exceptionBaneralUpload to FTP/memory card (-UF), notify surveillance center, send email, trigger recording (-UF), trigger captureCamera MaterialAluminum alloy bodyStorage-30 °C to 60 °C (-22 °F to 140 °F). Humidity: 95% or less (non-condensing)Startupand-30 °C to 60 °C (-22 °F to 140 °F). Humidity: 95% or less (non-condensing)	User/Host	Up to 32 users. 3 levels: administrator, operator					
mage SettingsSaturation, brightness, contrast, sharpness, AGC, white balance adjustable by client software or web browser.Day/Night SwitchDay, Night, Auto, SchedulemageBLC, 3D DNREnhancement1 RJ45 10 M/100 M self-adaptive Ethernet portInterface-UF: Built-in memory card slot, support microSD card, up to 256 GBBuilt-in-UF: YesMicrophone-UF: YesHardware Reset-UF: YesEventMotion detection, video tampering alarm, exceptionSeneralUpload to FTP/memory card (-UF), notify surveillance center, send email, trigger recording (-UF), trigger captureCamera MaterialAluminum alloy bodyStorage-30 °C to 60 °C (-22 °F to 140 °F). Humidity: 95% or less (non-condensing)Startupand -30 °C to 60 °C (-22 °F to 140 °F). Humidity: 95% or less (non-condensing)WebClientEnglish, Ukrainian	Web Browser	Plug-in free live view: Chrome 57.0+, Firefox 52.0+					
AGC, white balance adjustable by client software or web browser.Day/Night SwitchDay, Night, Auto, SchedulemageBLC, 3D DNREnhancementBLC, 3D DNRInterfaceIEthernet Interface1 RJ45 10 M/100 M self-adaptive Ethernet portDn-Board Storage-UF: Built-in memory card slot, support microSD card, up to 256 GBBuilt-in-UF: YesMicrophone-UF: YesBasic EventMotion detection, video tampering alarm, exceptionBasic EventUpload to FTP/memory card (-UF), notify surveillance center, send email, trigger recording (-UF), trigger captureCamera MaterialAluminum alloy bodyStorage-30 °C to 60 °C (-22 °F to 140 °F). Humidity: 95% or less (non-condensing)Startupand -30 °C to 60 °C (-22 °F to 140 °F). Humidity: 95% or less (non-condensing)WebClientEnglish, Ukrainian	Image						
mageBLC, 3D DNREnhancementI RJ45 10 M/100 M self-adaptive Ethernet portInterface-UF: Built-in memory card slot, support microSD card, up to 256 GBBuilt-in-UF: YesMicrophone-UF: YesHardware Reset-UF: YesEventBasic EventBasic EventMotion detection, video tampering alarm, exceptionSeneralUpload to FTP/memory card (-UF), notify surveillance center, send email, trigger recording (-UF), trigger captureCamera MaterialAluminum alloy bodyStorage-30 °C to 60 °C (-22 °F to 140 °F). Humidity: 95% or less (non-condensing)StartupandOnditions-30 °C to 60 °C (-22 °F to 140 °F). Humidity: 95% or less (non-condensing)StartupandConditions-30 °C to 60 °C (-22 °F to 140 °F). Humidity: 95% or less (non-condensing)StartupandConditions-30 °C to 60 °C (-22 °F to 140 °F). Humidity: 95% or less (non-condensing)ConditionsPS% or less (non-condensing)	Image Settings	AGC, white balance adjustable by client					
Enhancement Interface Ethernet Interface 1 RJ45 10 M/100 M self-adaptive Ethernet port Dn-Board Storage -UF: Built-in memory card slot, support microSD card, up to 256 GB Built-in -UF: Yes Microphone -UF: Yes Hardware Reset -UF: Yes Event -UF: Yes Basic Event Motion detection, video tampering alarm, exception General Upload to FTP/memory card (-UF), notify surveillance center, send email, trigger recording (-UF), trigger capture Camera Material Aluminum alloy body Storage -30 °C to 60 °C (-22 °F to 140 °F). Humidity: 95% or less (non-condensing) Startup and Operating 95% or less (non-condensing) Web Client English, Ukrainian	Day/Night Switch	Day, Night, Auto, Schedule					
InterfaceEthernet Interface1 RJ45 10 M/100 M self-adaptive Ethernet portOn-Board Storage-UF: Built-in memory card slot, support microSD card, up to 256 GBBuilt-in-UF: YesMicrophone-UF: YesHardware Reset-UF: YesEventSasic EventBasic EventMotion detection, video tampering alarm, exceptionBeneralUpload to FTP/memory card (-UF), notify surveillance center, send email, trigger recording (-UF), trigger captureCamera MaterialAluminum alloy bodyStorage-30 °C to 60 °C (-22 °F to 140 °F). Humidity: 95% or less (non-condensing)StartupandOperating95% or less (non-condensing)Conditions95% or less (non-condensing)WebClientEnglish, Ukrainian	Image Enhancement						
Ethernet Interface1 RJ45 10 M/100 M self-adaptive Ethernet port -UF: Built-in memory card slot, support microSD card, up to 256 GBBuilt-in-UF: YesMicrophone-UF: YesHardware Reset-UF: YesEventMotion detection, video tampering alarm, exceptionBasic EventMotion detection, video tampering alarm, exceptionGeneralUpload to FTP/memory card (-UF), notify surveillance center, send email, trigger recording (-UF), trigger captureCamera MaterialAluminum alloy bodyStorage-30 °C to 60 °C (-22 °F to 140 °F). Humidity: 95% or less (non-condensing)Startupand -30 °C to 60 °C (-22 °F to 140 °F). Humidity: 95% or less (non-condensing)Operating95% or less (non-condensing)WebClientEnglish, Ukrainian	Interface						
Dn-Board Storage-UF: Built-in memory card slot, support microSD card, up to 256 GBBuilt-in-UF: YesMicrophone-UF: YesHardware Reset-UF: YesEventMotion detection, video tampering alarm, exceptionBasic EventMotion detection, video tampering alarm, exceptionGeneralUpload to FTP/memory card (-UF), notify surveillance center, send email, trigger recording (-UF), trigger captureCamera MaterialAluminum alloy bodyStorage-30 °C to 60 °C (-22 °F to 140 °F). Humidity: 95% or less (non-condensing)Startupand -30 °C to 60 °C (-22 °F to 140 °F). Humidity: 95% or less (non-condensing)Operating Conditions95% or less (non-condensing)WebClientEnglish, Ukrainian	Ethernet Interface	1 RJ45 10 M/100 M self-adaptive Ethernet port					
Built-in -UF: Yes Microphone -UF: Yes Hardware Reset -UF: Yes Event Motion detection, video tampering alarm, exception Basic Event Motion detection, video tampering alarm, exception General Upload to FTP/memory card (-UF), notify surveillance center, send email, trigger recording (-UF), trigger capture Camera Material Aluminum alloy body Storage -30 °C to 60 °C (-22 °F to 140 °F). Humidity: 95% or less (non-condensing) Startup and Operating 95% or less (non-condensing) Web Client	On-Board Storage	-UF: Built-in memory card slot, support microSD					
EventMotion detection, video tampering alarm, exceptionBasic EventMotion detection, video tampering alarm, exceptionGeneralImage MethodUpload to FTP/memory card (-UF), notify surveillance center, send email, trigger recording (-UF), trigger captureCamera MaterialAluminum alloy bodyStorage-30 °C to 60 °C (-22 °F to 140 °F). Humidity: 95% or less (non-condensing)StartupandOperating Conditions-30 °C to 60 °C (-22 °F to 140 °F). Humidity: 	Built-in Microphone	-UF: Yes					
Basic EventMotion detection, video tampering alarm, exceptionGeneralUpload to FTP/memory card (-UF), notify surveillance center, send email, trigger recording (-UF), trigger captureCamera MaterialAluminum alloy bodyConditions95% or less (non-condensing)Startupand 	Hardware Reset	-UF: Yes					
exceptionGeneralLinkage MethodUpload to FTP/memory card (-UF), notify surveillance center, send email, trigger recording (-UF), trigger captureCamera MaterialAluminum alloy bodyCamera MaterialAluminum alloy bodyStorage-30 °C to 60 °C (-22 °F to 140 °F). Humidity: 95% or less (non-condensing)Conditions95% or less (non-condensing)Startupand 95% or less (non-condensing)Operating Conditions95% or less (non-condensing)WebClientEnglish, Ukrainian	Event						
Linkage MethodUpload to FTP/memory card (-UF), notify surveillance center, send email, trigger recording (-UF), trigger captureCamera MaterialAluminum alloy bodyConditions-30 °C to 60 °C (-22 °F to 140 °F). Humidity: 95% or less (non-condensing)Startupand 95% or less (non-condensing)Startupand 95% or less (non-condensing)Operating Conditions95% or less (non-condensing)WebClientEnglish, Ukrainian	Basic Event						
surveillancecenter,sendemail,triggercamera MaterialAluminum alloy bodyCamera MaterialAluminum alloy bodyStorage-30 °C to 60 °C (-22 °F to 140 °F). Humidity:Storaditions95% or less (non-condensing)StartupandOperating95% or less (non-condensing)StartupandOperating95% or less (non-condensing)Conditions95% or less (non-condensing)Conditions95% or less (non-condensing)	General						
Storage-30 °C to 60 °C (-22 °F to 140 °F). Humidity: 95% or less (non-condensing)Startupand-30 °C to 60 °C (-22 °F to 140 °F). Humidity: 95% or less (non-condensing)Operating95% or less (non-condensing)Conditions95% or less (non-condensing)WebClient	Linkage Method	surveillance center, send email, trigger recording (-UF), trigger capture					
Conditions95% or less (non-condensing)Startupand-30 °C to 60 °C (-22 °F to 140 °F). Humidity:Operating95% or less (non-condensing)ConditionsPointWebClientEnglish, Ukrainian	Camera Material	Aluminum alloy body					
Operating Conditions95% or less (non-condensing)NebClientEnglish, Ukrainian	Storage Conditions	95% or less (non-condensing)					
0	Startup and Operating Conditions	-30 °C to 60 °C (-22 °F to 140 °F). Humidity: 95% or less (non-condensing)					
	Language						
General Function Anti-flicker, heartbeat, mirror, password protection, privacy mask, watermark, IP address filter Firmware Version V5.5.122	General Function	protection, privacy mask, watermark, IP address filter					

Bidding No. 22-017 Supply, Delivery and Installation of Network Cabling and CCTV System of DTI Offices in UPRC and International Buildings 22 July 2022

Power	12 VDC, 0.4 A, max. 5 W, PoE: (802.3af, 36 V to 57 V), 0.2 A to 0.15 A, max. 6.5 W				
Consumption and					
Current					
Power Supply	2 VDC ± 25%				
	PoE: 802.3af, Class 3				
Power Interface	Ø5.5 mm coaxial power plug				
Warranty	1 year				
<u> </u>					
Uninterrupted Pov	/er Supply				
Output					
Output Pow	er 2700 Watts / 3000 VA				
Capacity					
Max Configurab Power (Watts)	le 2700 Watts / 3000 VA				
Nominal Outp	ut 230V				
Voltage					
Output Voltage Not	•				
	output voltage				
Output Voltag	e Less than 2%				
Distortion					
Output Frequent	zy 50/60Hz +/- 3 Hz				
<u>(sync to mains)</u> Other Outp	ut 220, 240V				
Voltages					
Crest Factor	3:1				
Topology	Double Conversion Online				
Waveform Type	Sine wave				
Output Connections					
•	Jumpers (Battery Backup) , (8) IEC 320 C13				
	(Battery Backup)				
Bypass	Internal Bypass (Automatic and Manual)				
Input					
Input Frequency	40 - 70 Hz (auto sensing)				
Input voltage rang					
for main operations					
Input voltag					
adjustable range f mains operation					
Other Input Voltage	s 220,240				
Maximum Inp					
Current					
Input Break	er 0 A				
Capacity					
Batteries & R	untime				
Battery Type	Maintenance-free sealed Lead-Acid battery				
	with suspended electrolyte : leakproof				
Typical rechar	e 3 hour(s)				
time					
RBC Quantity	1				
Communications &					
Interface Port(s)	RJ-45 Serial, Smart-Slot, USB				

4.2. The bidder must have at least five (5) years of experience in providing similar project/contract (supply, delivery, installation and configuration of CCTV system and equipment) by submitting proof of documents (i.e., Contract, Purchase Order or any equivalent document) with active contact details. (*Proof of Documents are required during Post-Qualification*) Bidding No. 22-017 Supply, Delivery and Installation of Network Cabling and CCTV System of DTI Offices in UPRC and International Buildings 22 July 2022

Conforme:

Name & Signature of the Authorized Representative

Name of Company

Date

Section VIII. Checklist of Technical and Financial Documents

×/~	A.	TECHNICAL COMPONENT ENVELOPE							
		Eligibility Documents							
	1.	PhilGEPS Certificate of Registration and Membership under Platinum category with the updated/valid of Eligibility Documents under its Annex "A".							
	2.	Statement of all on-going government and private contracts, including contracts awarded but not yet started. (<i>Annex A</i>)							
	3.	Statement of the Bidder's Single Largest Completed Contract similar to the contract to be bid, within the relevant period as provided in the Bidding Documents. (<i>Annex B</i>)							
		Technical Documents							
	1.	Bid security in the following prescribed form, amount and validity period:							
		a. Cash or cashier's/manager's check issued by a universal or commercial bank, bank draft/guarantee or irrevocable letter of credit issued by a universal or commercial bank = Two percent (2%) of the ABC; or							
		b. Surety bond callable upon demand issued by a surety or insurance company duly certified by the Insurance Commission as authorized to issue such surety = Five percent (5%) of the ABC. Certification by Insurance Commission should be attached to the surety bond; or							
		c. Bid Securing Declaration. (Annex C)							
	2.	Conformity with Schedule of Requirements, as enumerated in Section VI of the Bidding Documents.							
	3.	Conformity with Technical Specifications, as enumerated in Section VII of the Bidding Documents.							
	4.	Omnibus Sworn Statement executed by the bidder or its duly authorized representative. (Annex D)							
	5.	Secretary'sCertificateforCorporation;orSpecial Power of Attorney for Sole Proprietorship							
	6.	Prospective bidder's computation of its Net Financial Contracting Capacity (NFCC), which must be at least equal to or greater than the ABC; or Committed Line of Credit, which must be at least equal to ten (10%) of the ABC of the contract to bid, in lieu of the NFCC.							
	7.	Joint Venture Agreement, if applicable.							
	8.	Bid Bulletin/s, if any.							
	B.	FINANCIAL COMPONENT ENVELOPE							
	1.	Bid Form (Annex E)							
	2.	Price Schedules (Annex F-1 or F-2)							

Disclaimer: The CHECKLIST only serves as a guide in the preparation of the bidding documents/requirements. In case of discrepancy between the requirements indicated in the BIDDING DOCUMENT and the CHECKLIST, the BIDDING DOCUMENT shall prevail.

ANNEX A

Statement of Ongoing Contract/s

This is to certify that _____ (Name of Company) _____ has the following ongoing contract/s:

Name of Contract	Date of Contract	Contract Duration	Owner's Name and Address	Kind of Goods	Amount of contract and value of outstanding contracts	Date of Delivery	End user's acceptance or official receipt(s) or sales invoice issued for the contract, if completed, which shall be attached to the statements (<i>if applicable</i>)

Signature over printed Name of Authorized Representative

Date

ANNEX B

Statement of Single Largest Contract

This is to certify that _____ (Name of Company) _____ has the following completed contract/s for the period CY _____.

Name of Contract	Date of Contract	Contract Duration	Owner's Name and Address	Kind of Goods	Amount of completed contracts, adjusted by the Bidder to current prices using PSA's consumer price index, if necessary for the purpose of meeting the SLCC requirement	Date of Delivery	End user's acceptance or official receipt(s) or sales invoice issued for the contract, if completed, which shall be attached to the statements

Name of Company/Bidder

Signature over printed Name of Authorized Representative Date

ANNEX C

Bid Securing Declaration Form

[shall be submitted with the Bid if bidder opts to provide this form of bid security]

REPUBLIC OF THE PHILIPPINES) CITY OF ______) S.S.

BID SECURING DECLARATION Project Identification No.: *[Insert number]*

To: [Insert name and address of the Procuring Entity]

I/We, the undersigned, declare that:

- 1. I/We understand that, according to your conditions, bids must be supported by a Bid Security, which may be in the form of a Bid Securing Declaration.
- 2. I/We accept that: (a) I/we will be automatically disqualified from bidding for any procurement contract with any procuring entity for a period of two (2) years upon receipt of your Blacklisting Order; and, (b) I/we will pay the applicable fine provided under Section 6 of the Guidelines on the Use of Bid Securing Declaration, within fifteen (15) days from receipt of the written demand by the procuring entity for the commission of acts resulting to the enforcement of the bid securing declaration under Sections 23.1(b), 34.2, 40.1 and 69.1, except 69.1(f), of the IRR of RA No. 9184; without prejudice to other legal action the government may undertake.
- 3. I/We understand that this Bid Securing Declaration shall cease to be valid on the following circumstances:
 - a. Upon expiration of the bid validity period, or any extension thereof pursuant to your request;
 - b. I am/we are declared ineligible or post-disqualified upon receipt of your notice to such effect, and (i) I/we failed to timely file a request for reconsideration or (ii) I/we filed a waiver to avail of said right; and
 - c. I am/we are declared the bidder with the Lowest Calculated Responsive Bid, and I/we have furnished the performance security and signed the Contract.

IN WITNESS WHEREOF, I/We have hereunto set my/our hand/s this _____ day of [month] [year] at [place of execution].

[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE] [Insert signatory's legal capacity] Affiant SUBSCRIBED AND SWORN to before me this ____ day of _____ 2022 at _____, Philippines. Affiant is personally known to me and was identified by me through competent evidence of identity as defined in the 2004 Rules in Notarial Practice (A.M. No. 02-8-13-SC). Affiant exhibit to me his/her ______ with his/her photograph and signature appearing thereon, with no. ______ issued by ______.

Witness my hand and seal this _____ day of _____ 2022.

NOTARY PUBLIC

Doc. No.:	
Page No.:	
Book No.:	
Series of	

ANNEX D

Omnibus Sworn Statement (Revised)

[shall be submitted with the Bid]

REPUBLIC OF THE PHILIPPINES) CITY/MUNICIPALITY OF _____) S.S.

AFFIDAVIT

I, [Name of Affiant], of legal age, [Civil Status], [Nationality], and residing at [Address of Affiant], after having been duly sworn in accordance with law, do hereby depose and state that:

1. [Select one, delete the other:]

[*If a sole proprietorship:*] I am the sole proprietor or authorized representative of [Name of Bidder] with office address at [address of Bidder];

[*If a partnership, corporation, cooperative, or joint venture:*] I am the duly authorized and designated representative of [Name of Bidder] with office address at [address of Bidder];

2. [Select one, delete the other:]

[*If a sole proprietorship:*] As the owner and sole proprietor, or authorized representative of [Name of Bidder], I have full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached duly notarized Special Power of Attorney;

[*If a partnership, corporation, cooperative, or joint venture:*] I am granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached [state title of attached document showing proof of authorization (e.g., duly notarized Secretary's Certificate, Board/Partnership Resolution, or Special Power of Attorney, whichever is applicable;)];

- 3. [Name of Bidder] is not "blacklisted" or barred from bidding by the Government of the Philippines or any of its agencies, offices, corporations, or Local Government Units, foreign government/foreign or international financing institution whose blacklisting rules have been recognized by the Government Procurement Policy Board, <u>by itself or by relation, membership, association, affiliation, or controlling interest with another blacklisted person or entity as defined and provided for in the Uniform Guidelines on Blacklisting;</u>
- 4. Each of the documents submitted in satisfaction of the bidding requirements is an authentic copy of the original, complete, and all statements and information provided therein are true and correct;
- 5. [Name of Bidder] is authorizing the Head of the Procuring Entity or its duly authorized

representative(s) to verify all the documents submitted;

6. [Select one, delete the rest:]

[*If a sole proprietorship:*] The owner or sole proprietor is not related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[*If a partnership or cooperative:*] None of the officers and members of [*Name of Bidder*] is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[*If a corporation or joint venture:*] None of the officers, directors, and controlling stockholders of [*Name of Bidder*] is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

- 7. [Name of Bidder] complies with existing labor laws and standards; and
- 8. *[Name of Bidder]* is aware of and has undertaken the responsibilities as a Bidder in compliance with the Philippine Bidding Documents, which includes:
 - a. Carefully examining all of the Bidding Documents;
 - b. Acknowledging all conditions, local or otherwise, affecting the implementation of the Contract;
 - c. Making an estimate of the facilities available and needed for the contract to be bid, if any; and
 - d. Inquiring or securing Supplemental/Bid Bulletin(s) issued for the [Name of the Project].
- 9. *[Name of Bidder]* did not give or pay directly or indirectly, any commission, amount, fee, or any form of consideration, pecuniary or otherwise, to any person or official, personnel or representative of the government in relation to any procurement project or activity.
- 10. In case advance payment was made or given, failure to perform or deliver any of the obligations and undertakings in the contract shall be sufficient grounds to constitute criminal liability for Swindling (Estafa) or the commission of fraud with unfaithfulness or abuse of confidence through misappropriating or converting any payment received by a person or entity under an obligation involving the duty to deliver certain goods or services, to the prejudice of the public and the government of the Philippines pursuant to Article 315 of Act No. 3815 s. 1930, as amended, or the Revised Penal Code.
- **IN WITNESS WHEREOF**, I have hereunto set my hand this ____ day of ____, 20___ at ____, Philippines.

[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE] [Insert signatory's legal capacity] Affiant

SUBSCRIBED AND SWORN to before me this ____ day of _____ 2022 at _____, Philippines. Affiant is personally known to me and was identified by me through competent evidence of identity as defined in the 2004 Rules in Notarial Practice (A.M. No. 02-8-13-SC). Affiant exhibit to me his/her ______ with his/her photograph and signature appearing thereon, with no. ______ issued by _____.

Witness my hand and seal this _____ day of _____ 2022.

NOTARY PUBLIC

Doc. No.: _____ Page No.: _____ Book No.: _____ Series of _____

ANNEX E

Bid Form for the Procurement of Goods

[shall be submitted with the Bid]

BID FORM

Date : _____ Project Identification No. : _____

To: [name and address of Procuring Entity]

Having examined the Philippine Bidding Documents (PBDs) including the Supplemental or Bid Bulletin Numbers *[insert numbers]*, the receipt of which is hereby duly acknowledged, we, the undersigned, offer to *[supply/deliver/perform]* [description of the Goods] in conformity with the said PBDs for the sum of [total Bid amount in words and figures] or the total calculated bid price, as evaluated and corrected for computational errors, and other bid modifications in accordance with the Price Schedules attached herewith and made part of this Bid. The total bid price includes the cost of all taxes, such as, but not limited to: [specify the applicable taxes, e.g. (i) value added tax (VAT), (ii) income tax, (iii) local taxes, and (iv) other fiscal levies and duties], which are itemized herein or in the Price Schedules,

If our Bid is accepted, we undertake:

- a. to deliver the goods in accordance with the delivery schedule specified in the Schedule of Requirements of the Philippine Bidding Documents (PBDs);
- b. to provide a performance security in the form, amounts, and within the times prescribed in the PBDs;
- c. to abide by the Bid Validity Period specified in the PBDs and it shall remain binding upon us at any time before the expiration of that period.

[Insert this paragraph if Foreign-Assisted Project with the Development Partner:

Commissions or gratuities, if any, paid or to be paid by us to agents relating to this Bid, and to contract execution if we are awarded the contract, are listed below:

Name and address Amount and Purpose of of agentCurrencyCommission or gratuity

(if none, state "None")]

Until a formal Contract is prepared and executed, this Bid, together with your written acceptance thereof and your Notice of Award, shall be binding upon us.

We understand that you are not bound to accept the Lowest Calculated Bid or any Bid you may receive.

We certify/confirm that we comply with the eligibility requirements pursuant to the PBDs.

The undersigned is authorized to submit the bid on behalf of [name of the bidder] as evidenced by the attached [state the written authority].

We acknowledge that failure to sign each and every page of this Bid Form, including the attached Schedule of Prices, shall be a ground for the rejection of our bid.

Name:

Legal capacity: _____

Signature: _____

Duly authorized to sign the Bid for and behalf of:

Date: _____

ANNEX F-1

Price Schedule for Goods Offered from Abroad

[shall be submitted with the Bid if bidder is offering goods from Abroad]

For Goods Offered from Abroad

Name of Bidder _____ Project ID No.____ Page ___ of ____

1	2	3	4	5	6	7	8	9
Item	Description	Country of origin	Quantity	Unit price CIF port of entry (specify port) or CIP named place (specify border point or place of destination)	Total CIF or CIP price per item (col. 4 x 5)	Unit Price Delivered Duty Unpaid (DDU)	Unit price Delivered Duty Paid (DDP)	Total Price delivered DDP (col 4 x 8)

Name:

Legal Capacity: _____

Signature: _____

Duly authorized to sign the Bid for and behalf of: _____

ANNEX F-2

Price Schedule for Goods Offered from Within the Philippines

[shall be submitted with the Bid if bidder is offering goods from within the Philippines]

For Goods Offered from Within the Philippines

Name of Bidder Project ID No.								Page	_of
1	2	3	4	5	6	7	8	9	10
Item	Description	Country of origin	Quantity	Unit price EXW per item	Transportation and all other costs incidental to delivery, per item	Sales and other taxes payable if Contract is awarded, per item	Cost of Incidental Services, if applicable, per item	Total Price, per unit (col 5+6+7+8)	Total Price delivered Final Destination (col 9) x (col 4)

Name: _____

Legal Capacity:

Signature: _____

Duly authorized to sign the Bid for and behalf of: _____

Contract Agreement Form for the Procurement of Goods (Revised)

CONTRACT AGREEMENT

THIS AGREEMENT made the _____ day of _____ 20____ between [name of PROCURING ENTITY] of the Philippines (hereinafter called "the Entity") of the one part and [name of Supplier] of [city and country of Supplier] (hereinafter called "the Supplier") of the other part;

WHEREAS, the Entity invited Bids for certain goods and ancillary services, particularly [brief description of goods and services] and has accepted a Bid by the Supplier for the supply of those goods and services in the sum of [contract price in words and figures in specified currency] (hereinafter called "the Contract Price").

NOW THIS AGREEMENT WITNESSETH AS FOLLOWS:

- 1. In this Agreement words and expressions shall have the same meanings as are respectively assigned to them in the Conditions of Contract referred to.
- 2. The following documents as required by the 2016 revised Implementing Rules and Regulations of Republic Act No. 9184 shall be deemed to form and be read and construed as integral part of this Agreement, *viz*.:
 - i. Philippine Bidding Documents (PBDs);
 - i. Schedule of Requirements;
 - ii. Technical Specifications;
 - iii. General and Special Conditions of Contract; and
 - iv. Supplemental or Bid Bulletins, if any
 - ii. Winning bidder's bid, including the Eligibility requirements, Technical and Financial Proposals, and all other documents or statements submitted;

Bid form, including all the documents/statements contained in the Bidder's bidding envelopes, as annexes, and all other documents submitted (e.g., Bidder's response to request for clarifications on the bid), including corrections to the bid, if any, resulting from the Procuring Entity's bid evaluation;

- iii. Performance Security;
- iv. Notice of Award of Contract; and the Bidder's conforme thereto; and
- v. Other contract documents that may be required by existing laws and/or the Procuring Entity concerned in the PBDs. <u>Winning bidder agrees that</u> <u>additional contract documents or information prescribed by the GPPB</u> <u>that are subsequently required for submission after the contract</u> <u>execution, such as the Notice to Proceed, Variation Orders, and</u> <u>Warranty Security, shall likewise form part of the Contract.</u>

- 3. In consideration for the sum of *[total contract price in words and figures]* or such other sums as may be ascertained, *[Named of the bidder]* agrees to *[state the object of the contract]* in accordance with his/her/its Bid.
- 4. The *[Name of the procuring entity]* agrees to pay the above-mentioned sum in accordance with the terms of the Bidding.

IN WITNESS whereof the parties hereto have caused this Agreement to be executed in accordance with the laws of the Republic of the Philippines on the day and year first above written.

[Insert Name and Signature]	[Insert Name and Signature]
[Insert Signatory's Legal Capacity]	[Insert Signatory's Legal Capacity]
for:	for:
[Insert Procuring Entity]	[Insert Name of Supplier]

Acknowledgment

[Format shall be based on the latest Rules on Notarial Practice]

